



|   |  |                                       |                 |                  |
|---|--|---------------------------------------|-----------------|------------------|
| Patient ID<br><b>C7028846-0005078</b>                 | Patient Name<br><b>ZNS, TESTING</b>      | Birth Date<br><b>1991-05-15</b>       | Sex<br><b>F</b> | Age<br><b>30</b> |
| Order Number<br><b>X100388114</b>                     | Client Order Number<br><b>X100388114</b> | Ordering Physician<br><b>unknown</b>  | Report Notes    |                  |
| Account Information<br><b>C7028846 DLMP Rochester</b> |  | Collected<br><b>28 Apr 2022 06:05</b> |                 |                  |

**Zinc, S**



High

**110 mcg/dL**

**1** SDL

Reference Value  
60–106

**Received:** 29 Apr 2022 08:01

**Reported:** 29 Apr 2022 08:37

#### Laboratory Notes

- 1** This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

#### Performing Site Legend

| Code | Laboratory  | Address                                    | Lab Director                 | CLIA Certificate |
|------|---|--|------------------------------|------------------|
| SDL  | Mayo Clinic Laboratories - Rochester Superior Drive | 3050 Superior Drive NW, Rochester MN 55901 | William G. Morice M.D. Ph.D. | 24D1040592       |