

Overview**Method Name**

Quantitative Multiplex Bead Assay

NY State Available

Yes

Specimen**Specimen Type**

Varies

Specimen Required**Serum**

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum frozen in a plastic vial.

Separate specimens must be submitted when multiple tests are ordered.

Note: Cytokine levels may demonstrate diurnal variation. For longitudinal comparison, it is recommended that cytokine levels be determined at the same time of day.

Specimen Minimum Volume

0.4 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	Contaminated or Heat-inactivated

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Frozen	365 days	

Clinical & Interpretive

Reference Values

2.1 pg/mL or less

Interpretation

Interpretive Information: Cytokines

Results are to be used for research purposes or in attempts to understand the pathophysiology of immune, infectious, or inflammatory disorders.

Performance**PDF Report**

No

Day(s) Performed

Monday, Wednesday, Friday

Report Available

1 to 12 days

Performing Laboratory Location

ARUP Laboratories

Fees & Codes**Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics determined by ARUP Laboratories.

CPT Code Information

83520

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FIL2M	Interleukin 2	33939-0

Result ID	Test Result Name	Result LOINC® Value
FIL2M	Interleukin 2	33939-0