

Overview

Method Name

Quantitative Multiplex Bead Assay

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Serum

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum frozen in a plastic vial.

Separate specimens must be submitted when multiple tests are ordered.

Note: Cytokine levels may demonstrate diurnal variation. For longitudinal comparison, it is recommended that cytokine levels be determined at the same time of day.

Reject Due To

Hemolysis NA

Lipemia NA

Icterus NA

Other Contaminated or Heat-inactivated

Specimen Minimum Volume

0.4 mL

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Frozen (preferred)	365 days	

Clinical & Interpretive

Reference Values

2.1 pg/mL or less

Interpretation

Interpretive Information: Cytokines

Results are to be used for research purposes or in attempts to understand the pathophysiology of immune, infectious, or inflammatory disorders.

Performance**PDF Report**

No

Performing Laboratory Location

ARUP Laboratories

Fees & Codes**Test Classification**

This test was developed and its performance characteristics determined by ARUP Laboratories.

CPT Code Information

83520

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FIL2M	Interleukin 2	33939-0

Result ID	Test Result Name	Result LOINC Value
FIL2M	Interleukin 2	33939-0