

## Overview

### Testing Algorithm

If the GHB Screen, UR is non-negative, then the Gamma-Hydroxybutyric Acid, CF, UR (FGHAC) will be performed at an additional charge.

### Reflex Tests

Test Id	Reporting Name	Available Separately	Always Performed
FGHAC	Gamma-Hydroxybutyric Acid, CF, UR	No	No

### Method Name

Liquid Chromatography with Tandem Mass Spectrometry (LC/MS/MS)

Gas Chromatography/Mass Spectrometry (GC/MS) (if appropriate)

### NY State Available

Yes

## Specimen

### Specimen Type

Urine

### Specimen Required

Collect 10 mL random urine without preservatives. Ship refrigerated in a plastic container.

### Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

### Specimen Minimum Volume

1.2 mL

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Urine	Refrigerated (preferred)	14 days	
	Frozen	180 days	
	Ambient		

**Clinical & Interpretive**

**Reference Values**

Reference Range: Negative

Screening threshold: 5.0 ug/mL

**Performance**

**PDF Report**

No

**Performing Laboratory Location**

Medtox Laboratories, Inc.

**Fees & Codes**

**Test Classification**

**CPT Code Information**

80307

**LOINC® Information**

Test ID	Test Order Name	Order LOINC Value
FGHSU	GHB Screen, UR	29868-7

Result ID	Reporting Name	LOINC®
Z4226	GHB	29868-7