
Overview**Useful For**

Interpretation of testing for the detection and quantitation of inhibitor to factor II

Method Name

Only orderable as a reflex. For more information see 2INHE / Factor II Inhibitor Evaluation, Plasma.

Medical Interpretation

NY State Available

Yes

Specimen**Specimen Type**

Plasma Na Cit

Specimen Required

Only orderable as a reflex. For more information see 2INHE / Factor II Inhibitor Evaluation, Plasma.

Specimen Minimum Volume

Only orderable as a reflex. For more information see 2INHE / Factor II Inhibitor Evaluation, Plasma.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen (preferred)	14 days	

Clinical & Interpretive**Clinical Information**

Coagulation factor inhibitors arise in patients who are congenitally deficient in a specific factor in response to factor replacement therapy or can either occur spontaneously without known cause or in response to a variety of medical conditions including the postpartum state, immunologic disorders, certain antibiotic therapies, some malignancies, and in geriatric patients.

Inhibitors of factor VIII coagulant activity are the most commonly occurring of the specific factor inhibitors.

Reference Values

Only orderable as a reflex. For more information see 2INHE / Factor II Inhibitor Evaluation, Plasma.

An interpretive report will be provided.

Interpretation

An interpretive report will be provided when testing is complete.

Cautions

No specific cautionary statements

Clinical Reference

1. Hematology: Basic Principles and Practice. Seventh Edition. Edited by R Hoffman, EJ Benz Jr, LE Silberstein, et al. Elsevier 2018
2. Kasper CK: Treatment of factor VIII inhibitors. Prog Hemost Thromb 1989;9:57-86
3. Laboratory Hematology Practice. Edited by K Kottke-Marchant. Wiley Blackwell Publishing, 2012

Performance**Method Description**

A coagulation expert (clinician or hematopathologist) reviews the laboratory data and an interpretive report is issued.(Unpublished Mayo method)

PDF Report

No

Performing Laboratory Location

Rochester

Fees & Codes**Test Classification**

Not Applicable

CPT Code Information

85390-26

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
2AINH	FII Inhib Profile Prof Interp	69049-5

Result ID	Reporting Name	LOINC®
607489	Reviewed by	18771-6
607445	FII Inhib Profile Prof Interp	69049-5