

---

## Overview

### Useful For

Determining proliferation of tumor cells in paraffin-embedded tissue blocks from patients diagnosed with carcinoid or atypical carcinoid of the lung including metastases, using a manual method

### Method Name

Only orderable as a reflex. For more information see KI67P / Ki-67 (MIB-1), Pulmonary, Quantitative Immunohistochemistry, Automated.

Immunohistochemistry, Semi- Quantitation, Hot-Spot Technique

### NY State Available

Yes

## Specimen

### Specimen Type

Special

### Shipping Instructions

Attach the green pathology address label included in the kit to the outside of the transport container.

### Necessary Information

- 1. Pathologist's name, address, and phone number are required.**
- 2. Include accompanying pathology report stating the final diagnosis.** If not available, a preliminary diagnosis is acceptable.

### Specimen Required

Only orderable as a reflex. For more information see KI67P / Ki-67 (MIB-1), Pulmonary, Quantitative Immunohistochemistry, Automated.

**Supplies:** Pathology Packaging Kit (T554)

### Specimen Type:

**Preferred:** Formalin-fixed, paraffin-embedded tissue block containing carcinoid/atypical carcinoid of the lung including metastases.

**Acceptable:** 2 Unstained sections on charged slides cut at 4 microns <1 month ago. Tissue on the slides should have been fixed in 10% neutral buffered formalin.

**Container/Tube:** Pathology Packaging Kit

### Collection Instructions:

1. Submit formalin-fixed, paraffin-embedded tissue block.
2. Attach the green pathology address label included in the kit to the outside of the transport container.

**Additional Information:** Paraffin block will be returned with the final report.

**Reject Due To**

All specimens will be evaluated at Mayo Clinic Laboratories for test suitability.

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Special	Ambient (preferred)		
	Refrigerated		

**Clinical & Interpretive****Clinical Information**

Ki-67(MIB-1 clone) is a monoclonal antibody that reacts with cells undergoing DNA synthesis by binding to the Ki-67 antigen, a marker known to be expressed only in proliferating cells. By measuring the amount of tumor cells expressing Ki-67, an estimate of DNA synthesis can be determined. Studies suggest that Ki-67(MIB-1) analysis of paraffin-embedded tissue specimens may provide useful prognostic information in various tumor types.

**Reference Values**

Only orderable as a reflex. For more information see KI67P / Ki-67 (MIB-1), Pulmonary, Quantitative Immunohistochemistry, Automated.

Varies by tumor type; values reported from 0% to 100%

**Interpretation**

Results will be reported as a percentage of tumor cells staining positive for Ki-67(MIB-1). Semi-quantitative Ki-67(MIB-1) results should be interpreted within the clinical context for which the test was ordered.

**Cautions**

No significant cautionary statements

**Clinical Reference**

Boland JM, Kroneman TN, Jenkins SM, et al: Ki-67 Labeling index in pulmonary carcinoid tumors: comparison between small biopsy and resection using tumor tracing and hot spot methods. Arch Pathol Lab Med. 2020 Jan 16;144(8):982-990. doi: 10.5858/arpa.2019-0374-OA

**Performance****Method Description**

A 4-micron thick section is cut from the paraffin block. The section is stained with an immunoperoxidase method using the monoclonal antibody Ki-67 (MIB-1 clone). This is the paraffin nuclear epitope to the Ki-67 antigen. Any nucleus that has an antigen-antibody complex will cause the bright-field, brown chromogen, diaminobenzidine (DAB), to precipitate onto it. All nuclei, both DAB-positive and -negative, are counterstained with diluted hematoxylin.(Unpublished Mayo method)

### PDF Report

No

### Day(s) Performed

Monday through Friday

### Specimen Retention Time

1 week after results are reported. Material made at Mayo Clinic may be retained at Mayo Clinic indefinitely

### Performing Laboratory Location

Rochester

## Fees & Codes

### Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

### Test Classification

This test was developed, and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the US Food and Drug Administration.

### CPT Code Information

88360

### LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
KIPM	Ki67 Pulmonary IHC Manual	In Process

Result ID	Test Result Name	Result LOINC® Value
72138	Interpretation	29593-1
72139	Participated in the Interpretation	No LOINC Needed
72140	Report electronically signed by	19139-5
72141	Material Received	81178-6
72142	Disclaimer	62364-5

## Test Definition: KIPM

Ki-67(MIB-1), Pulmonary, Quantitative  
Immunohistochemistry, Manual

72143	Case Number	80398-1
-------	-------------	---------