

Overview**Method Name**

ELISA

NY State Available

Yes

Specimen**Specimen Type**

Serum

Specimen Required**Container/Tube:****Preferred:** Red top tube**Acceptable:** Serum gel tube**Specimen Volume:** 0.5 mL**Collection Instructions:** Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 0.5 mL of serum refrigerated in a plastic vial.**Reject Due To**

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

Specimen Minimum Volume

0.50 mL

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Frozen	30 days	

	Ambient	7 days	
--	---------	--------	--

Clinical & Interpretive

Reference Values

Reference Range: Negative

Interpretation

This assay detects antibodies against recombinant Hantavirus antigens of both old world and new world Hantavirus types. The immune response to Hantavirus infection is not type-specific, and thus cross-reactivity may occur. All Hantavirus IgM-positive samples from US residents will be sent to a Public Health Laboratory for Sin Nombre Virus (SNV)-specific IgM testing. Samples that are Hantavirus IgG positive but IgM negative will not be subjected to further type-specific testing, since the lack of IgM rules out acute infection.

Performance

PDF Report

No

Performing Laboratory Location

Quest Diagnostics

Fees & Codes

Test Classification

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

CPT Code Information

86790 x 2

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FHVGM	Hantavirus Antibody (IgG, IgM)	Not Provided

Result ID	Reporting Name	LOINC®
Z4933	Hantavirus Ab (IgG)	35392-0
Z4934	Hantavirus Ab (IgM)	35393-8