

Overview

Method Name

Prostaglandin D2 is measured by EIA/ELISA following extractions of specimens.

NY State Available

No

Specimen

Specimen Type

Serum

Specimen Required

Patient preparation:

Patient should NOT be on any aspirin, indomethacin, or anti-inflammatory medications, if possible, for at least 48 hours prior to collection of specimen.

Serum

Specimen Type: Serum

Container/Tube: Red top

Specimen Volume: 3 mL

Collection Instructions: Draw blood in a plain, red-top tube(s), serum-gel tube(s) is acceptable. Separate immediately and send 3 mL of serum frozen in a plastic vial.

Specimen Minimum Volume

1 mL

Reject Due To

Hemolysis	NA
Lipemia	Mild reject; Gross reject
Icterus	Mild reject; Gross reject
Other	Specimens other than Serum or Plasma EDTA. Test is strict frozen.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen	60 days	

Clinical & Interpretive

Clinical Information

Prostaglandins are fatty acids derived from arachidonic acid metabolism. They are closely related to the Thromboxanes and Leukotrienes. Prostaglandin D2 is derived mainly from Prostaglandin H2, and is metabolized to Dihydroketo Prostaglandin D2. Prostaglandin D2 is excreted directly into the urine. The sites of highest Prostaglandin D2 activity are the brain, spinal cord, intestines, and stomach. Prostaglandin D2 is the major Prostaglandin produced by uterine tissue. Prostaglandin D2 is a potent bronchoconstrictor, neuromodulator, and anti-antithrombin agent. It also stimulates the secretion of Pancreatic Glucagon. Prostaglandin D2 has been found to have an anti-metastatic effect on many malignant tumor cells. Prostaglandin D2 production and circulating levels are drastically suppressed by aspirin and Indomethacin.

Reference Values

Adult Reference Range(s): 35 - 115 pg/mL

No pediatric reference ranges available for this test.

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

10 to 14 days

Performing Laboratory Location

Inter Science Institute

Fees & Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

Test Classification

This test was performed using a kit that has not been cleared or approved by the FDA and is designated as research use only. The analytic performance characteristics of this test have been determined by Inter Science Institute. This test is not intended for diagnosis or patient management decisions without confirmation by other medically established

means.

CPT Code Information

84150

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FD2PG	Prostaglandin D2 (PGD2)	12839-7

Result ID	Test Result Name	Result LOINC® Value
FD2PG	Prostaglandin D2 (PGD2)	12839-7