

## Overview

### Method Name

Enzyme-Linked Immunosorbent Assay

### NY State Available

Yes

## Specimen

### Specimen Type

Plasma Na Cit

### Specimen Required

**Specimen Type:** Citrated plasma

**Collection Container/Tube:** Light-blue top (citrate)

**Specimen Volume:** 2 mL

**Collection Instructions:** Draw blood in a light blue-top (Sodium citrate) tube(s). Spin down and send 2 mL citrated plasma frozen in a plastic vial.

**Note:** Separate specimens must be submitted when multiple tests are ordered.

### Reject Due To

Thawing\*\*                      Cold reject; Warm reject

Other/Tissue/Swab              Specimens other than Plasma; Anticoagulants other than Sodium citrate

### Specimen Minimum Volume

1 mL (Note: This volume does not allow for repeat testing.)

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen (preferred)	180 days	

## Clinical & Interpretive

### Reference Values

<326

Pre-analytical conditions such as a difficult draw may spuriously increase test results.

## Performance

**PDF Report**

No

**Performing Laboratory Location**

Esoterix Coagulation

**Fees & Codes**

**Test Classification**

**CPT Code Information**

83520