MAYO CLINIC LABORATORIES

Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Overview

Method Name
Gel Diffusion

NY State Available
Yes

Specimen

Specimen Type
Serum

Specimen Required
Collection Container/Tube:
Preferred: Red top
Acceptable: Serum gel
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL Serum
Collection Instructions:
1. Centrifuge and aliquot 1 mL of serum into a plastic vial.
2. Send refrigerate.

Specimen Minimum Volume
Serum: 0.5 mL

Reject Due To

Gross hemolysis	Reject
Gross lipemia	Reject
Gross Icterus	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Ambient	28 days	
	Frozen	28 days	

Test Definition: FASPG

Aspergillus IgG Precipitins Panel

Clinical & Interpretive

Clinical Information
Refer to www.eurofins-viracor.com/test-menu/

Reference Values
Negative

Interpretation
The gel diffusion method was used to test this patients serum for the presence of precipitating antibodies (IgG) to the antigens indicated. These antibodies are serological markers for exposure and immunological sensitization. The clinical significance varies, depending on the history and symptoms.

Performance

PDF Report
No

Day(s) Performed
Monday through Friday

Report Available
7 to 11 days

Performing Laboratory Location
Eurofins Viracor

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information
86331 x 6

Test Definition: FASPG

Aspergillus IgG Precipitins Panel

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FASPG	Aspergillus IgG Precipitins Panel	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z5917	Aspergillus amstelodami/glaucus	Not Provided
Z5918	Aspergillus flavus	Not Provided
Z5919	Aspergillus fumigatus Mix	Not Provided
Z5920	Aspergillus nidulans	Not Provided
Z5921	Aspergillus niger	Not Provided
Z5922	Aspergillus versicolor	Not Provided