

Overview

Method Name

Enzyme-Linked Immunosorbent Assay (ELISA)

NY State Available

No

Specimen

Specimen Type

Serum

Specimen Required

Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 3 mL of serum frozen in a plastic vial.

Reject Due To

Hemolysis	Mild reject; Gross reject
Lipemia	Mild reject; Gross reject
Icterus	NA
Other	NA

Specimen Minimum Volume

0.5 mL

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	30 days	
	Refrigerated	14 days	

Clinical & Interpretive

Reference Values

Anti-Phosphatidylcholine IgA: <12.0 U/mL

Anti-Phosphatidylcholine IgG: <12.0 U/mL

Anti-Phosphatidylcholine IgM: <12.0 U/mL

Reference Range applies to Antiphosphatidylcholine IgA, IgG & IgM:

Normal <12.0

Equivocal 12.0 – 18.0

Elevated >18.0

Performance**PDF Report**

No

Performing Laboratory Location

BioAgilytix Diagnostics

Fees & Codes**Test Classification**

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.

CPT Code Information

83520/x3