

## Overview

### Special Instructions

- [Histocompatibility Lab Transplant Testing Requisition](#)

### Method Name

PCR and Direct DNA Sequencing

### NY State Available

Yes

## Specimen

### Specimen Type

Whole Blood EDTA

### Specimen Required

Draw blood in a lavender-top (EDTA) tube. Send 14 mL of EDTA whole blood at ambient temperature.

### Reject Due To

Hemolysis	NA
Lipemia	NA
Icteric	NA
Other	NA

### Specimen Minimum Volume

5 mL

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Ambient (preferred)	14 days	

## Clinical & Interpretive

### Reference Values

---

Testing is complete. Final report has been sent to the referring laboratory.

## Performance

### PDF Report

Referral

### Performing Laboratory Location

Versiti Wisconsin, Inc.

## Fees & Codes

### Test Classification

This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

### CPT Code Information

81380

### LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FHLAB	HLA B High Resolution	45028-8

Result ID	Reporting Name	LOINC®
Z0130	HLA B High Resolution	45028-8
Z0119	Comments:	48767-8