
Overview**Method Name**

Varies

NY State Available

No

Specimen**Specimen Type**

Varies

Specimen Required

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name
2. Performing lab code
3. Specimen Type

Reject Due To

Specimens other than	Varies
Anticoagulants other than	NA
Hemolysis	NA
Lipemia	NA
Icteric	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Varies (preferred)		

Clinical & Interpretive

Reference Values

Test Performed By: University of Utah Genome Center

20 South 2030 East

Biomedical Polymers Building 570

Room 308

Salt Lake City, UT 84112-9454

Performance

PDF Report

Referral

Performing Laboratory Location

Univeristy of Utah Genome Center

Fees & Codes

Test Classification

CPT Code Information

Varies

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
ZW217	Misc Univ of UT Genome Ctr	51991-8

Result ID	Reporting Name	LOINC®

ZT217	Test Name	19145-2
ZR217	Result	19146-0
ZF217	Flag	No LOINC Needed
ZV217	Reference Value	19147-8
ZU217	Unit of Measure	No LOINC Needed