

Reporting Title: D-Dimer, P
Performing Location: Mayo Clinic Laboratories - Rochester Main Campus

Specimen Requirements:

Only orderable as part of a profile or reflex. For more information see:
ALBLD / Bleeding Diathesis Profile, Limited, Plasma
AATHR / Thrombophilia Profile, Plasma and Whole Blood
APROL / Prolonged Clot Time Profile, Plasma
ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma
ALUPP / Lupus Anticoagulant Profile, Plasma

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
DIMER	D-Dimer, P	Numeric	ng/mL FEU	In Process

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

85379

Reference Values:

Only orderable as part of a profile or reflex. For more information see:
ALBLD / Bleeding Diathesis Profile, Limited, Plasma
AATHR / Thrombophilia Profile, Plasma and Whole Blood
APROL / Prolonged Clot Time Profile, Plasma
ADIC / Disseminated Intravascular Coagulation/Intravascular Coagulation and Fibrinolysis (DIC/ICF) Profile, Plasma
ALUPP / Lupus Anticoagulant Profile, Plasma

< or =500 ng/mL Fibrinogen Equivalent Units (FEU)
D-dimer values < or =500 ng/mL FEU may be used in conjunction with clinical pretest probability to exclude deep vein thrombosis (DVT) and pulmonary embolism (PE).