



Test Definition: RPRT1

Rapid Plasma Reagin (RPR) Screen with Reflex to Titer, Serum

Reporting Title: RPR Screen w/ Reflex to Titer,S

Performing Location: Mayo Clinic Laboratories - Rochester Superior Drive

Ordering Guidance:

This test is for monitoring response to therapy in patients treated for syphilis infection. This test should not be used as a primary diagnostic approach for syphilis. To screen for undiagnosed syphilis infection, order SYPH1 / Syphilis IgG with Reflex, Enzyme Immunoassay, Serum.

Specimen Requirements:

Supplies: Sarstedt Aliquot Tube, 5 mL (T914)

Collection Container/Tube:

Preferred: Serum gel

Acceptable: Red top

Submission Container/Tube: Plastic vial

Specimen Volume: 0.5 mL

Collection Instructions: Centrifuge and aliquot serum into a plastic vial.

Forms:

If not ordering electronically, complete, print, and send [Infectious Disease Serology Test Request](#) (T916) with the specimen.

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Frozen	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
616863	RPR Screen w/ Reflex to Titer,S	Alphanumeric		20507-0

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

86592

86593-Rapid Plasma Reagin Titer (if appropriate)

Reflex Tests:

Test Id	Reporting Name	CPT Units	CPT Code	Always Performed	Available Separately
RPRT2	RPR Titer,S	1	86593	No	No

Result Codes for Reflex Tests:

Test ID	Result ID	Reporting Name	Type	Unit	LOINC®
RPRT2	616865	RPR Titer,S	Alphanumeric		31147-2

Reference Values:

Negative

Reference values apply to all ages.