

Test Definition: FET

Iron, Liver Tissue

Reporting Title: Iron, Liver Ts

Performing Location: Mayo Clinic Laboratories - Rochester Superior Drive

Necessary Information:

Patient's date of birth is required to calculate iron index.

Specimen Requirements:

Supplies: Metal Free Specimen Vial (T173)
Container/Tube:
Preferred: Mayo metal-free specimen vial
Acceptable: Paraffin block, with no more than 1 or 2 cuts previously made
Specimen Volume: 2 mg

Collection Instructions: Two mg of liver tissue are required. This is typically a piece of tissue from a 22-gauge needle biopsy at least 2 cm long. If an 18-gauge needle is used, the tissue must be at least 1 cm in length.

Specimen Stability Information:

Fresh or formalin-fixed liver tissue specimens: Frozen (-30 to -10 degrees C) at least 20 years Paraffin-embedded (block) liver tissue specimens: Ambient (16 to 24 degrees C) at least 12 1/2 years Additional Information: Paraffin blocks will be returned 7 days after analysis is complete.

Forms:

Specimen Type	Temperature	Time	Special Container	
Liver Tissue	Refrigerated (preferred)			
	Ambient			
	Frozen			

Result Codes:

Result ID	Reporting Name	Туре	Unit	LOINC®
8350	Iron, Liver Ts	Numeric	mcg/g dry wt	57028-3
7770	Hepatic Iron Index	Numeric	mcmol/g/yr	49061-5

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information: 83540

Reference Values:

Iron Males: 200-2,400 mcg/g dry weight



Test Definition: FET

Iron, Liver Tissue

Females: 200-1,800 mcg/g dry weight

Iron Index > or =13 years: <1.0 mcmol/g/year Reference values have not been established for patients that are younger than 13 years.