

Reporting Title: Misc Athena Testing

Performing Location: Athena Diagnostics

Specimen Requirements:

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name
2. Performing lab code
3. Specimen Type

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

Ask at Order Entry (AOE) Questions:

Test ID	Question ID	Description	Type	Reportable
ZW127	ZT127	Test Name	Plain Text	Yes
ZW127	ZD127	Referral Lab Code	Plain Text	Yes
ZW127	ZQ127	Specimen Type	Plain Text	Yes

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
ZT127	Test Name	Alphanumeric		19145-2
ZR127	Result	Alphanumeric		19146-0
ZF127	Flag	Alphanumeric		No LOINC Needed
ZV127	Reference Value	Alphanumeric		19147-8
ZU127	Unit of Measure	Alphanumeric		No LOINC Needed

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

Referral

CPT Code Information:

Varies

Reference Values:

Test Performed by: Athena Diagnostics
200 Forest Street, 2nd floor
Marlborough, MA 01752