

**Overview****Method Name**

Enzyme Immunoassay

**NY State Available**

Yes

**Specimen****Specimen Type**

Serum

**Specimen Required**

Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 1 mL of serum frozen in a plastic vial.

**Specimen Minimum Volume**

1 mL

**Reject Due To**

|           |    |
|-----------|----|
| Hemolysis | NA |
| Lipemia   | NA |
| Icterus   | NA |
| Other     | NA |

**Specimen Stability Information**

| Specimen Type | Temperature        | Time     | Special Container |
|---------------|--------------------|----------|-------------------|
| Serum         | Frozen (preferred) | 365 days |                   |
|               | Ambient            | 28 days  |                   |
|               | Refrigerated       | 28 days  |                   |

**Clinical and Interpretive****Reference Values**

&gt;100 ng/mL

Investigators most frequently use 100 ng/mL as the threshold for defining an MBL deficiency. MBL values below this value may be associated with increased susceptibility to infection.

**Performance**

**PDF Report**

No

**Day(s) and Time(s) Test Performed**

Monday

**Analytic Time**

5 - 7 days

**Maximum Laboratory Time**

7 - 16 days

**Performing Laboratory Location**

Viracor Eurofins

**Fees and Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

**CPT Code Information**

86160

**LOINC® Information**

| Test ID | Test Order Name             | Order LOINC Value |
|---------|-----------------------------|-------------------|
| FMBL    | Mannan Binding Lectin (MBL) | 30152-3           |

| Result ID | Test Result Name            | Result LOINC Value |
|-----------|-----------------------------|--------------------|
| FMBL      | Mannan Binding Lectin (MBL) | 30152-3            |