

Overview
Method Name

Quantitative Multiplex Bead Assay

NY State Available

Yes

Specimen
Specimen Type

Varies

Specimen Required
Specimen Type: Serum

Container/Tube: Red

Specimen Volume: 1 mL

Serum:

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down within 2 hours of collection and freeze immediately. Send 1 mL of serum frozen in a plastic vial.

Separate specimens must be submitted when multiple test are ordered.

Note: Cytokine levels may demonstrate diurnal variation. For longitudinal comparison, it is recommended that cytokine levels be determined at the same time of day.

Specimen Minimum Volume

0.4 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	Contaminated or Heat-inactivated

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Frozen	365 days	

Clinical and Interpretive

Reference Values

175.3 pg/mL - 858.2 pg/mL

Interpretation

Interpretive Information: Cytokines

Results are used to understand the pathophysiology of immune, infectious, or inflammatory disorders or may be used for research purposes.

Performance

PDF Report

No

Day(s) Performed

Monday, Wednesday, Friday

Report Available

1 to 6 days

Performing Laboratory Location

ARUP Laboratories

Fees and Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics determined by ARUP Laboratories.

CPT Code Information

83520

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FIL2S	IL 2 Receptor, Soluble	76039-7

Result ID	Test Result Name	Result LOINC Value
FIL2S	IL 2 Receptor, Soluble	76039-7