

Overview

Method Name

GasChromatography(GC)

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Submit only 1 of the following specimens:

Serum

Draw blood in a plain, red-top tube(s). **(Serum gel tube is not acceptable.)** Spin down and send 3 mL of serum refrigerated.

Note: 1. Indicate serum on report form.

2. Label specimen appropriately (serum).

Plasma

Draw blood in a lavender-top (EDTA) tube(s). **(Plasma gel tube is not acceptable.)** Spin down and send 3 mL of EDTA plasma refrigerated.

Note: 1. Indicate plasma on report form.

2. Label specimen appropriately (plasma).

Specimen Minimum Volume

1.2 mL

Reject Due To

Specimens other than	Serum, plasma
Hemolysis	NA
Lipemia	NA
Icteric	NA
Other	Anticoagulants other than Plain red top, EDTA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	150 days	
	Frozen	150 days	
	Ambient	14 days	

Clinical and Interpretive

Reference Values

Reporting limit determined each analysis

Alpha-Chlordane

Synonym(s): Cis-Chlordane

Results reported in ppb

Gamma-Chlordane

Synonym(s): Trans-Chlordane

Results reported in ppb

Trans-Nonachlor

Synonym(s): Chlordane Component

Results reported in ppb

Heptachlorepoxide

Synonym(s): Chlordane Metabolite

Results reported in ppb

Oxychlordane

Synonym(s): Chlordane Metabolite

Results reported in ppb

Heptchlor

Synonym(s): Chlordane Component

Results reported in ppb

No reference data available.

Performance
PDF Report

No

Day(s) and Time(s) Test Performed

Monday through Sunday

Analytic Time

7 days

Maximum Laboratory Time

9 - 11 days

Performing Laboratory Location

NMS Labs

Fees and Codes
Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information

82441

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FCHLM	Chlordane and Metabolites	Not Provided

Result ID	Test Result Name	Result LOINC Value
Z1445	Alpha-Chlordane	11091-6
Z1858	Reporting Limit	19147-8
Z1466	Gamma-Chlordane	11096-5
Z1304	Reporting Limit	19147-8
Z1461	Trans-Nonachlor	23937-6
Z1877	Reporting Limit	19147-8
Z1462	Heptachlorepoxyde	9473-0
Z1301	Reporting Limit	19147-8

Result ID	Test Result Name	Result LOINC Value
Z1463	Oxychlordane	21437-9
Z1302	Reporting Limit	19147-8
Z1464	Heptachlor	9472-2
Z1303	Reporting Limit	19147-8