

Overview**Special Instructions**

- [Histocompatibility Lab Transplant Testing Requisition](#)

Method Name

PolymeraseChainReaction(PCR)andDirectDNASequencing

NY State Available

Yes

Specimen**Specimen Type**

Whole Blood EDTA

Specimen Required

Draw blood in a lavender-top (EDTA) tube. Send 14 mL of EDTA whole blood at ambient temperature.

Specimen Minimum Volume

5 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
Icteric	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Ambient	14 days	

Clinical and Interpretive**Reference Values**

Testing is complete. Final report has been sent to the referring laboratory.

Performance**PDF Report**

Referral

Day(s) Performed

Varies

Report Available

5 to 14 days

Performing Laboratory Location

Versiti Wisconsin, Inc.

Fees and Codes**Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

Test Classification

This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

CPT Code Information

81380

LOINC® Information

Test ID	Test Order Name	Order LOINC Value
FHLAA	HLA A High Resolution	57290-9

Result ID	Test Result Name	Result LOINC Value
Z0129	HLA A High Resolution	57290-9
Z0118	Comments:	48767-8