

**Overview****Special Instructions**

- [Histocompatibility Lab Transplant Testing Requisition](#)

**Method Name**

PCR and Direct DNA Sequencing

**NY State Available**

Yes

**Specimen****Specimen Type**

Whole Blood EDTA

**Specimen Required**

Draw blood in a lavender-top (EDTA) tube. Send 14 mL of EDTA whole blood at ambient temperature.

**Specimen Minimum Volume**

5 mL

**Reject Due To**

Hemolysis	NA
Lipemia	NA
Icteric	NA
Other	NA

**Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Ambient	14 days	

**Clinical and Interpretive****Reference Values**

Testing is complete. Final report has been sent to the referring laboratory.

**Performance****PDF Report**

Referral

**Day(s) and Time(s) Test Performed**

Varies

**Analytic Time**

5 - 7 days

**Maximum Laboratory Time**

7 - 14 days

**Performing Laboratory Location**

Versiti Wisconsin, Inc.

**Fees and Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their Regional Manager. For assistance, contact [Customer Service](#).

**Test Classification**

This test was developed and its performance characteristics determined by Versiti Wisconsin, Inc. It has not been cleared or approved by the US Food and Drug Administration. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

**CPT Code Information**

81380

**LOINC® Information**

Test ID	Test Order Name	Order LOINC Value
FHLAB	HLA B High Resolution	45028-8

Result ID	Test Result Name	Result LOINC Value
Z0130	HLA B High Resolution	45028-8
Z0119	Comments:	48767-8