

# **Test Definition: A1R**

A1 Antigen Subtype, Blood

#### Overview

#### **Useful For**

Additional proof of alloantibody specificity

Assessment of solid organ transplantation donor compatibility

This test is **not useful** for the purpose of establishing paternity.

Method Name Hemagglutination

NY State Available Yes

#### Specimen

Specimen Type Whole Blood EDTA

Shipping Instructions Specimen must arrive within 7 days of collection

# Specimen Required

Container/Tube: Pink top (EDTA)
Specimen Volume: 6 mL
Pediatric Volume: 2 mL blood in 6 mL pink-top (EDTA) tube
Collection Instructions: Send whole blood specimen in original tube. Do not aliquot.

#### Specimen Minimum Volume

See Specimen Required

#### Reject Due To

Gross	ОК
hemolysis	

#### **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Refrigerated (preferred)	7 days	



# **Test Definition: A1R**

A1 Antigen Subtype, Blood

Ambient	72 hours	

## Clinical & Interpretive

### **Clinical Information**

The presence or absence of a cellular antigen is an inherited trait. Generally, individuals will not make antibody directed against an antigen present on their own red blood cells.

### **Reference Values**

Reported as Negative or Positive

#### Interpretation

The A1 antigen type will be resulted as "pos," indicating that the antigen is present, or "neg," indicating that the antigen is absent.

#### Cautions

No significant cautionary statements

#### Clinical Reference

Cohn CS, Delaney M, Johnson ST, Katz LM, Schwartz J, eds. Technical Manual. 21st ed. AABB; 2023

## Performance

#### Method Description

Agglutination of red blood cells with an antiserum represents the presence of the corresponding antigen in the red blood cells. (Cohn CS, Delaney M, Johnson ST, Katz LM, Schwartz J, eds. Technical Manual. 21st ed. AABB; 2023)

PDF Report

Day(s) Performed Monday through Friday, Sunday

Report Available 1 to 5 days

**Specimen Retention Time** 14 days

# Performing Laboratory Location

Mayo Clinic Laboratories - Rochester Main Campus



# **Test Definition: A1R**

A1 Antigen Subtype, Blood

### Fees & Codes

#### Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

#### **Test Classification**

This test has been cleared, approved, or is exempt by the US Food and Drug Administration and is used per manufacturer's instructions. Performance characteristics were verified by Mayo Clinic in a manner consistent with CLIA requirements.

#### **CPT Code Information**

86905

### LOINC<sup>®</sup> Information

Test ID	Test Order Name	Order LOINC <sup>®</sup> Value
A1R	A1 antigen subtype	844-1

Result ID	Test Result Name	Result LOINC <sup>®</sup> Value
A1R	A1 antigen subtype	844-1