



# Test Definition: FHSPL

Histamine Plasma

## Overview

### Method Name

Enzyme Immunoassay (EIA)

### NY State Available

Yes

## Specimen

### Specimen Type

Plasma EDTA

### Specimen Required

**Collection Container/Tube:** Lavender top (EDTA)

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 1 mL Plasma

#### Collection Instructions:

1. Immediately place specimen on ice.
2. Centrifugation should be performed within 20 minutes of collection at 900 x g for 10 minutes at 4 degrees C.
3. Carefully remove 1 mL of EDTA plasma from the upper part of the tube and place in a plastic vial.
4. Send frozen.

### Specimen Minimum Volume

Plasma: 0.5 mL

### Reject Due To

Gross hemolysis	Reject
Gross lipemia	Reject
Specimens other than EDTA plasma	Reject

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Plasma EDTA	Frozen	28 days	

## Clinical & Interpretive

### Clinical Information

Refer to [www.eurofins-viracor.com/test-menu/](http://www.eurofins-viracor.com/test-menu/)

### Reference Values

0-1.0 ng/mL

## Performance

### PDF Report

No

### Day(s) Performed

Tuesday and Thursday

### Report Available

4 to 11 days

### Performing Laboratory Location

Eurofins Viracor

## Fees & Codes

### Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

### Test Classification

This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

### CPT Code Information

83088

### LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FHSPL	Histamine Plasma	2416-6

---

Result ID	Test Result Name	Result LOINC® Value
FHSPL	Histamine Plasma	2416-6