

Pea Green IgG

Overview

Method Name

Enzyme Immunoassay (FEIA)

NY State Available

No

Specimen

Specimen Type

Serum

Specimen Required

Draw blood in a plain, red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 0.5 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.5 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
lcterus	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Ambient	7 days	
	Frozen	365 days	

Clinical & Interpretive

Reference Values

Reference ranges have not been established for food-specific IgG tests. The clinical utility of food-specific IgG tests has not been established. These tests can be used in special clinical situations to select foods for evaluation by diet



elimination and challenge in patients who have food-related complaints. It should be recognized that the presence of food-specific IgG alone cannot be taken as evidence of food allergy and only indicates immunologic sensitization by the food allergen in question. This test should only be ordered by physicians who recognize the limitations of the test.

Performance

PDF Report No

Day(s) Performed Monday through Friday

Report Available 3 to 7 days

Performing Laboratory Location Eurofins Viracor

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification

This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information

86001

LOINC[®] Information

Test ID	Test Order Name	Order LOINC [®] Value
FPGNG	Pea Green IgG	60389-4

Result ID	Test Result Name	Result LOINC [®] Value
FPGNG	Pea Green IgG	60389-4