Test Definition: FABP2

Allergic Bronchopulmonary Aspergillosis Panel II

Overview

Method Name
Enzyme Immunoassay (FEIA)
Ouchterlony Gel Immunodiffusion

NY State Available
No

Specimen

Specimen Type
Serum

Specimen Required
Collection Container/Tube:
Preferred: Red top
Acceptable: Serum gel
Submission Container/Tube: Plastic vial
Specimen Volume: 1.5 mL Serum
Collection Instructions:
1. Centrifuge and aliquot 1.5 mL of serum into a plastic vial.
2. Send refrigerate.

Specimen Minimum Volume
Serum: 1 mL

Reject Due To

Lipemia	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	28 days	
	Ambient	7 days	
	Frozen	365 days	

Clinical & Interpretive

Clinical Information

https://www.eurofins-viracor.com/test-menu/

Reference Values

Total IgE (IU/mL):
1-11 months: 0-12
1 year: 0-15
2 years: 1-29
3 years: 4-35
4 years: 2-33
5 years: 8-56
6 years: 3-95
7 years: 2-88
8 years: 5-71
9 years: 3-88
10 years: 7-110
11-14 years: 7-111
15-19 years: 6-96
20-30 years: 4-59
31-50 years: 5-79
51-80 years: 3-48

Aspergillus fumigatus IgE
<0.35 kU/L

Aspergillus fumigatus IgG
<46 mcg/mL

Aspergillus fumigatus Mix Gel Diffusion
Negative

Interpretation

Aspergillus fumigatus IgE

Class	IgE (kU/L)	Comment
0	<0.10	Negative
0/1	0.10-0.34	Equivocal/Borderline
1	0.35-0.69	Low Positive
2	0.70-3.49	Moderate Positive
3	3.50-17.49	High Positive
4	17.50-49.99	Very High Positive
5	50.00-99.99	Very High Positive
6	>99.99	Very High Positive

Performance

PDF Report
No

Day(s) Performed
Monday through Friday

Report Available
5 to 9 days

Performing Laboratory Location
Eurofins Viracor

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

CPT Code Information
86331
86001
86003
82785

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FABP2	Allergic Bronchopulmonary Panel II	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z3248	Total IgE	In Process
Z3249	Aspergillus fumigatus IgE	6025-1
Z3250	Class	102153-4
Z3251	Aspergillus fumigatus IgG	26954-8
Z3252	A. fumigatus Mix Gel Diffusion	23821-2