

Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only

### Overview

#### **Useful For**

Aiding in the diagnosis of giant cell tumor of bone

#### **Reflex Tests**

Test Id	Reporting Name	Available Separately	Always Performed
IHTOI	IHC Initial, Tech Only	No	No
IHTOA	IHC Additional, Tech Only	No	No

#### **Testing Algorithm**

For the initial technical component only immunohistochemical (IHC) stain performed, the appropriate bill-only test ID will be reflexed and charged (IHTOI). For each additional technical component only IHC stain performed, an additional bill-only test ID will be reflexed and charged (IHTOA).

#### Method Name

Immunohistochemistry (IHC)

#### NY State Available

Yes

## Specimen

## Specimen Type

TECHONLY

#### **Ordering Guidance**

This test includes only technical performance of the stain (no pathologist interpretation is performed). If diagnostic consultation by a pathologist is required order PATHC / Pathology Consultation.

Mayo Clinic Laboratories has multiple histone immunostains available. See table for ordering guidance.

Test ID	Published name	Indication	Mayo Clinic
			slide label
HG34W	Histone 3.3 G34W (H3F3A G34W)	Giant cell tumor	H3 G34W
	Immunostain, Technical Component Only	of bone (GCTB)	
HK27M	Histone H3 K27M Mutant (H3 K27M)	K27M mutant	H3 K27M
	Immunostain, Technical Component Only	midline gliomas	
HISME	Histone H3 Trimethyl K27 Immunostain,	MPNST and	H3 K27me3



## Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only

	Technical Component Only	K27M mutant	
		midline gliomas	
HK36M	Histone H3 K36M Mutant (H3F3 K36M)	Chondroblastom	H3 K36M
	Immunostain, Technical Component Only	а	

#### **Shipping Instructions**

Attach the green "Attention Pathology" address label (T498) and the pink Immunostain Technical Only label included in the kit to the outside of the transport container.

#### Specimen Required

Specimen Type: Tissue Supplies: Immunostain Technical Only Envelope (T693) Container/Tube: Immunostain Technical Only Envelope Preferred: Formalin-fixed, paraffin-embedded tissue block OR 2 Unstained, positively charged glass slides (25- x 75- x 1-mm) per test ordered; sections 4-microns thick Acceptable: None

#### **Digital Image Access**

1. Information on accessing digital images of immunohistochemical (IHC) stains and the manual requisition form can be accessed through this website: <a href="https://news.mayocliniclabs.com/pathology/digital-imaging/">https://news.mayocliniclabs.com/pathology/digital-imaging/</a>

2. Clients ordering stains using a manual requisition form will not have access to digital images.

3. Clients wishing to access digital images must place the order for IHC stains electronically. Information regarding digital imaging can be accessed through this website: <u>https://news.mayocliniclabs.com/pathology/digital-imaging/#section3</u>

#### Forms

If not ordering electronically, complete, print, and send a <u>Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains</u> <u>Request</u> (T763) with the specimen.

## Reject Due To

Wet/frozen	Reject
tissue	
Cytology	
smears	
Nonformalin	
fixed tissue	
Nonparaffin	
embedded	
tissue	
Noncharged	
slides	
ProbeOn slides	



Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only

Snowcoat	
slides	

#### **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
TECHONLY	Ambient (preferred)		
	Refrigerated		

#### **Clinical & Interpretive**

#### **Clinical Information**

*H3F3A* is a member of the histone H3 family and is located on chromosome 1. Histone H3 G34W is expressed in the nuclei of the mononuclear cell population of *H3F3A* altered giant cell tumor of bone (GCTB).

#### Interpretation

This test does not include pathologist interpretation, only technical performance of the stain. If interpretation is required, order PATHC / Pathology Consultation for a full diagnostic evaluation or second opinion of the case.

The positive and negative controls are verified as showing appropriate immunoreactivity.

Interpretation of this test should be performed in the context of the patient's clinical history and other diagnostic tests by a qualified pathologist.

#### Cautions

Age of a cut paraffin section can affect immunoreactivity. Stability thresholds vary widely among published literature and are antigen dependent. Best practice is for paraffin sections to be cut within 6 weeks.

The charge of glass slides can be affected by environmental factors and subsequently may alter slide staining. Sending unsuitable glass slides can result in inconsistent staining due to poor slide surface chemistry.

Best practices for storage of positively charged slides: -Minimize time slides are stored after being unpackaged -Limit exposure to high humidity and heat -Minimize exposure to plastics

#### **Clinical Reference**

 Cleven A, Hocker S, Briaire-de Bruijn I, Szuhai K, Cleton-Jansen AM, Bovee JVMG. Mutation analysis of H3F3A and H3F3B as a diagnostic tool for giant cell tumor of bone and chondroblastoma. Am J Surg Pathol. 2015;39(11):1576-1583
Fernanda A, Bersha F, Ye H, et al. H3F3A (Histone 3.3) G34W immunohistochemistry a reliable marker defining benign and malignant giant cell tumor of one. Am J Surg Pathol. 2017;41(8):1059-1068
Luke J, Von Baer A, Schreiber J, et al. H3F3A mutation in giant cell tumour of the bone is detected by immunohistochemistry using a monoclonal antibody against the G34W mutated site of histone H3/3 variant.



Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only

Histopathology. 2017;71(4):125-133

4. Yamamoto H, Iwasaki T, Yuichi Y, et al. Diagnostic utility of histone H3.3 G34W, G34R, and G34V mutant-specific antibodies for giant cell tumors of bone. Hum Pathol. 2018;73(3):41-50

5. Magaki S, Hojat SA, Wei B, So A, Yong WH. An introduction to the performance of immunohistochemistry. *Methods Mol Biol*. 2019;1897:289-298. doi:10.1007/978-1-4939-8935-5\_25

## Performance

**Method Description** Immunohistochemistry on sections of paraffin-embedded tissue.(Unpublished Mayo method)

PDF Report No

Day(s) Performed Monday through Friday

Report Available 1 to 3 days

Specimen Retention Time

Until staining is complete

Performing Laboratory Location

Mayo Clinic Laboratories - Rochester Main Campus

## Fees & Codes

#### Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

#### **Test Classification**

This test has been cleared, approved, or is exempt by the US Food and Drug Administration and is used per manufacturer's instructions. Performance characteristics were verified by Mayo Clinic in a manner consistent with CLIA requirements.

#### **CPT Code Information**

88342-TC, Primary 88341-TC, If additional IHC



# Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only

#### LOINC<sup>®</sup> Information

Test ID	Test Order Name	Order LOINC <sup>®</sup> Value
HG34W	Histone H3 G34W IHC, Tech Only	Order only;no result
Result ID	Test Result Name	Result LOINC <sup>®</sup> Value
604698	Histone H3 G34W IHC, Tech Only	Bill only; no result