

# **Test Definition: THSIF**

Thrombospondin Type 1 Domain Containing 7A (THSD7A), Immunofluorescence

#### Overview

#### **Useful For**

Diagnosis of thrombospondin type 1 domain-containing 7A (THSD7A)-associated membranous nephropathy

#### **Method Name**

Direct Immunofluorescence (DIF)

#### **NY State Available**

Yes

## **Specimen**

# **Specimen Type**

Special

#### **Ordering Guidance**

If additional interpretation/analysis is needed, request PATHC / Pathology Consultation along with this test and send the corresponding renal pathology light microscopy and immunofluorescence (IF) slides (or IF images on a CD), electron microscopy images (prints or CD), and the pathology report.

## **Necessary Information**

A preliminary pathology report is required for testing to be performed. Send information with specimen. The laboratory will not reject testing if a reason for testing is not provided; however appropriate testing and interpretation may be compromised or delayed. If not provided, an appropriate indication for testing may be entered by Mayo Clinic Laboratories.

# **Specimen Required**

Specimen Type: Kidney tissue

**Preferred:** 2 Unstained positively charged glass slide (25- x 75- x 1-mm) per test ordered; paraffin sections 3 to 4-microns

thick

Acceptable: Formalin-fixed, paraffin-embedded (FFPE) kidney tissue block

#### **Forms**

If not ordering electronically, complete, print, and send a Renal Diagnostics Test Request (T830) with the specimen.

# **Specimen Minimum Volume**

See Specimen Required

# Reject Due To

All specimens will be evaluated at Mayo Clinic Laboratories for test suitability.



# **Test Definition: THSIF**

Thrombospondin Type 1 Domain Containing 7A (THSD7A), Immunofluorescence

# **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Special	Ambient (preferred)		
	Refrigerated		
	Frozen		

## Clinical & Interpretive

#### **Clinical Information**

Thrombospondin type 1 domain-containing 7A (THSD7A) is a target antigen in membranous nephropathy (MN) and is detected in approximately 3% to 5% of non- phospholipase A2 receptor (PLA2R)-associated MN patients. Differentiating THSD7A-associated MN from PLA2R-associated MN is critical as approximately 20% of patients with THSD7A-associated MN have solid malignancy suggesting that THSD7A-associated MN is more likely to be secondary to malignancy than PLA2R-associated MN.

# Interpretation

Staining is interpreted and reported as negative or positive.

# **Cautions**

No significant cautionary statements

## **Clinical Reference**

- 1. Hoxha E, Beck Jr LH, Wiech T et al. An indirect immunofluorescence method facilitates detection of thrombospondin type 1 domain-containing 7A-specific antibodies in membranous nephropathy. J Am Soc Nephrol. 2017;28:520-531
- 2. Larsen CP, Cossey LN, Bech LH. THSD7A staining of membranous glomerulopathy in clinical practice reveals cases with dual autoantibody positivity. Mod Pathol. 2016;29:421-426
- 3. Sharma SG, Larsen CP: Tissue staining for THSD7A in glomeruli correlates with serum antibodies in primary membranous nephropathy: a clinicopathological study. Mod Pathol. 2018;31(4):616-622

#### **Performance**

#### **Method Description**

Direct immunofluorescence staining on sections of formalin-fixed, paraffin-embedded kidney tissue. (Unpublished Mayo method)

## **PDF Report**

No

## Day(s) Performed

Monday through Friday



# **Test Definition: THSIF**

Thrombospondin Type 1 Domain Containing 7A (THSD7A), Immunofluorescence

# **Report Available**

1 to 2 days

# **Specimen Retention Time**

Until reported

## **Performing Laboratory Location**

Mayo Clinical Laboratories- Rochester Main Campus

## **Fees & Codes**

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **Test Classification**

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

## **CPT Code Information**

88346-Primary IF 88350-If additional IF

# **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
THSIF	THSD7A Immunofluorescence	101116-2

Result ID	Test Result Name	Result LOINC® Value
605245	Interpretation	50595-8
606383	Participated in the Interpretation	No LOINC Needed
606384	Report electronically signed by	19139-5
606385	Addendum	35265-8
606386	Gross Description	22634-0
606387	Material Received	22633-2
606388	Disclaimer	62364-5
606389	Case Number	80398-1