

HER2 Immunostain, Technical Component Only

Overview

Useful For

Qualitative detection of HER2 protein overexpression in a diagnostic setting in formalin-fixed paraffin-embedded tissue sections

Reflex Tests

Test Id	Reporting Name	Available Separately	Always Performed
IHTOI	IHC Initial, Tech Only	No	No
IHTOA	IHC Additional, Tech Only	No	No

Testing Algorithm

For the initial technical component only immunohistochemical (IHC) stain performed, the appropriate bill-only test ID will be reflexed and charged (IHTOI). For each additional technical component only IHC stain performed, an additional bill-only test ID will be reflexed and charged (IHTOA).

Method Name

Immunohistochemistry (IHC)

NY State Available

Yes

Specimen

Specimen Type TECHONLY

Ordering Guidance

This test includes only technical performance of the stain (no pathologist interpretation is performed).

This test provides qualitative results only. For semiquantitative assessment of HER2 as a predictive or prognostic marker in the setting of breast cancer, order HERBA / HER2, Breast, Quantitative Immunohistochemistry, Automated with HER2 FISH Reflex or in the setting of gastric esophageal tissues, order HERGM / HER2, Gastric/Esophageal, Semi-Quantitative Immunohistochemistry, Manual and return Mayo-stained tech only HER2 slide along with hematoxylin and eosin-stained slide, or block and 2 unstained slides.

For immunostain detection of HER2 for diagnostic purposes, order HER2I / HER2 Immunostain, Technical Component Only.

For immunostain detection of HER2 in invasive or metastatic breast primary specimens with interpretation and reflex



HER2 Immunostain, Technical Component Only

fluorescence in situ hybridization (FISH) testing, order HERMB / HER2, Breast, Semi-Quantitative Immunohistochemistry, Manual with HER2 FISH Reflex.

For immunostain detection of HER2 in invasive or metastatic gastroesophageal adenocarcinoma primary specimens with interpretation and reflex FISH testing, order HERGM / HER2, Gastric/Esophageal, Semi-Quantitative Immunohistochemistry, Manual.

For immunostain detection of HER2 in invasive or metastatic gastroesophageal adenocarcinoma primary with interpretation but without reflex FISH testing, order HERGN / HER2, Gastric/Esophageal, Semi-Quantitative Immunohistochemistry, Manual, No Reflex.

For immunostain detection of HER2 in invasive or metastatic solid tumors with interpretation and without reflex FISH testing, order HERST / HER, Solid Tumor, Semi-Quantitative Immunohistochemistry, Manual.

For FISH HER2 testing in invasive or metastatic breast primary specimens with interpretation, order H2BR / HER2 Amplification Associated with Breast Cancer, FISH, Tissue.

For FISH HER2 testing in invasive or metastatic primary gastroesophageal specimens with interpretation, order H2GE / *HER2* Amplification Associated with Gastroesophageal Cancer, FISH, Tissue.

For FISH HER2 testing in primary or metastatic tumor specimens which are not breast or gastroesophageal primary, order H2MT / HER2 Amplification, Miscellaneous Tumor, FISH, Tissue.

For interpretation and diagnosis of submitted pathology specimens with appropriate additional stains and other ancillary testing, order PATHC / Pathology Consultation.

Additional material may be needed if alternative testing is requested. See the specific specimen requirements for the alternative requested testing.

Shipping Instructions

Attach the green "Attention Pathology" address label (T498) and the pink Immunostain Technical Only label included in the kit to the outside of the transport container.

Specimen Required

Specimen Type: Tissue
Supplies: Immunostain Technical Only Envelope (T693)
Container/Tube: Immunostain Technical Only Envelope
Submit:

-Formalin-fixed, paraffin-embedded tissue block
OR
-2 Unstained, positively charged glass slides (25- x 75- x 1-mm) per test ordered; sections 4-microns thick

Digital Image Access

1. Information on accessing digital images of immunohistochemical (IHC) stains and the manual requisition form can be accessed through this website: https://news.mayocliniclabs.com/pathology/digital-imaging/



HER2 Immunostain, Technical Component Only

2. Clients ordering stains using a manual requisition form will not have access to digital images.

3. Clients wishing to access digital images must place the order for IHC stains electronically. Information regarding digital imaging can be accessed through this website: <u>https://news.mayocliniclabs.com/pathology/digital-imaging/#section3</u>

Forms

If not ordering electronically, complete, print, and send a <u>Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains</u> <u>Request</u> (T763) with the specimen.

Reject Due To

Wet/frozen	Reject
tissue	
Cytology	
smears	
Nonformalin	
fixed tissue	
Nonparaffin	
embedded	
tissue	
Noncharged	
slides	
ProbeOn slides	
Snowcoat	
slides	

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
TECHONLY	Ambient (preferred)		
	Refrigerated		

Clinical & Interpretive

Clinical Information

The human *HER2* gene (also known as *ERBB2* or *NEU*) encodes a protein often referred to as HER2 protein or P185(HER2). The HER2 protein is a membrane receptor tyrosine kinase with homology to the epidermal growth factor receptor (EGFR or HER1). The HER2 protein is a normal component expressed by a variety of epithelial cell types.

Interpretation

This test does not include pathologist interpretation, only technical performance of the stain.

The positive and negative controls are verified as showing appropriate immunoreactivity and documentation is retained at Mayo Clinic Rochester.



HER2 Immunostain, Technical Component Only

Interpretation of this test should be performed in the context of the patient's clinical history and other diagnostic tests by a qualified pathologist.

Cautions

Age of a cut paraffin section can affect immunoreactivity. Stability thresholds vary widely among published literature and are antigen dependent. Best practice is for paraffin sections to be cut within 6 weeks.

The charge of glass slides can be affected by environmental factors and subsequently may alter slide staining. Sending unsuitable glass slides can result in inconsistent staining due to poor slide surface chemistry.

Best practices for storage of positively charged slides: -Minimize time slides are stored after being unpackaged -Limit exposure to high humidity and heat -Minimize exposure to plastics

Clinical Reference

1. Calhoun BC, Collins LC. Predictive markers in breast cancer: an update on ER and HER2 testing and reporting. Semin Diagn Pathol. 2015;32(5):362-369. doi:10.1053/j.semdp.2015.02.011

2. Bahreini F, Soltanian AR, Mehdipour P. A meta-analysis on concordance between immunohistochemistry (IHC) and fluorescence in situ hybridization (FISH) to detect HER2 gene overexpression in breast cancer. Breast Cancer. 2015;22(6):615-625. doi:10.1007/s12282-014-0528-0

3. Wolff AC, Hammond EH, Hicks DG, et al. Recommendations for human epidermal growth factor receptor 2 testing in breast cancer: American Society of Clinical Oncology/College of American Pathologists clinical practice guideline update. J Clin Oncol. 2013;31(31):3997-4013. doi:10.1200/JCO.2013.50.9984

Performance

Method Description Immunohistochemistry on sections of paraffin-embedded tissue.(Unpublished Mayo method)

PDF Report

No

Day(s) Performed Monday through Friday

Report Available 1 to 3 days

Specimen Retention Time

Until staining is complete.



HER2 Immunostain, Technical Component Only

Performing Laboratory Location

Mayo Clinic Laboratories - Rochester Main Campus

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test has been cleared, approved, or is exempt by the US Food and Drug Administration and is used per manufacturer's instructions. Performance characteristics were verified by Mayo Clinic in a manner consistent with CLIA requirements.

CPT Code Information

88342-TC, Primary 88341-TC, If additional IHC

LOINC[®] Information

Test ID	Test Order Name	Order LOINC [®] Value
HER2I	HER2 IHC, Tech Only	Order only;no result

Result ID	Test Result Name	Result LOINC [®] Value
70770	HER2 IHC, Tech Only	Bill only; no result