

JC Virus Detection by In Situ Hybridization

### Overview

### **Useful For**

Confirming a clinical and histopathologic diagnosis of progressive multifocal leukoencephalopathy

#### **Method Name**

In Situ Hybridization (ISH)

#### **NY State Available**

Yes

# **Specimen**

# **Specimen Type**

Special

# **Shipping Instructions**

Attach the green pathology address label included in the kit to the outside of the transport container.

# **Necessary Information**

A pathology/diagnostic report and a brief history are required.

# **Specimen Required**

**Specimen Type:** Formalin-fixed, paraffin-embedded tissue block

Supplies: Pathology Packaging Kit (T554)

Specimen Volume: Entire block

**Specimen Type:** Slides

Slides: 4 Unstained glass, positively-charged slides with 5 (+ or - 1)-microns formalin-fixed, paraffin-embedded tissue

#### **Forms**

If not ordering electronically, complete, print, and send an <u>Immunohistochemical (IHC)/In Situ Hybridization (ISH) Stains</u>
Request (T763) with the specimen.

### Reject Due To

Wet/frozen	Reject
tissue	
Cytology	
smears	
Nonformalin	
fixed tissue	



JC Virus Detection by In Situ Hybridization

Nonparaffin			
embedded			
tissue			
Noncharged			
slides			
ProbeOn slides			

# **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Special	Ambient (preferred)		
	Refrigerated		

# **Clinical & Interpretive**

#### **Clinical Information**

JC virus is the etiologic agent of progressive multifocal leukoencephalopathy (PML), a rare, demyelinating, fatal disorder of the central nervous system that occurs on a background of immune deficiency. PML is an infrequent complication of a wide variety of conditions, including lymphoproliferative disorders (Hodgkin disease, chronic lymphocytic leukemia), sarcoidosis, tuberculosis, and AIDS.

#### Interpretation

This test, when not accompanied by a pathology consultation request, will be answered as either positive or negative. If additional interpretation or analysis is needed, request PATHC / Pathology Consultation along with this test.

#### **Cautions**

Studies have shown potential cross reactivity between polyoma (BK) and JC virus in situ hybridization (ISH) testing.(1)

Age of a cut paraffin section can affect staining quality. Stability thresholds vary widely among published literature. Best practice is for paraffin sections to be cut within 6 weeks.

#### **Clinical Reference**

- 1. Fritzsche FR, Pianca S, Gaspert A, et al: Silver-enhanced in situ hybridization for detection of polyomavirus DNA in patients with BK virus nephropathy. Diagn Mol Pathol. 2011 Jun;20(2):105-110
- 2. Aksamit AJ, Mourrain P, Sever JL, Major EO: Progressive multifocal leukoencephalopathy: investigation of 3 cases using in situ hybridization with JC virus biotinylated DNA probe. Ann Neurol. 1985 Oct;18(4):490-496
- 3. Aksamit AJ: Nonradioactive in situ hybridization in progressive multifocal leukoencephalopathy. Mayo Clin Proc. 1993 Sept;68(9):899-910
- 4. Muaoz-Marmol AM, Mola G, Fernandez-Vasalo A, et al: JC virus early protein detection by immunohistochemistry in progressive multifocal leukoencephalopathy: a comparative study with in situ hybridization and polymerase chain reaction. J Neuropathol Exp Neurol. 2004 Nov;63(11):1124-1130
- 5. Vago L, Cinque P, Sala E, et al: JCV-DNA and BKV-DNA in the CNS tissue and CSF of AIDS patients and normal subjects. Study of 41 cases and review of the literature. J Acquir Immune Defic Syndr Hum Retrovirol. 1996 Jun 1;12(2):139-146
- 6. Chen H, Chen XZ, Waterboer T, et al: Viral infections and colorectal cancer: a systematic review of epidemiological



JC Virus Detection by In Situ Hybridization

studies. Int J Cancer. 2015 Jul 1:137(1)12-24

#### **Performance**

#### **Method Description**

In situ hybridization on sections of paraffin-embedded tissue.(Unpublished Mayo method)

### **PDF Report**

No

# Day(s) Performed

Monday through Friday

#### Report Available

5 to 7 days

# **Specimen Retention Time**

Until staining is complete.

# **Performing Laboratory Location**

Mayo Clinic Laboratories - Rochester Main Campus

#### **Fees & Codes**

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

### **Test Classification**

This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. It has not been cleared or approved by the US Food and Drug Administration.

#### **CPT Code Information**

88365-Primary 88364-If additional ISH

# LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
JCV	JC Virus ISH	In Process

Result ID	Test Result Name	Result LOINC® Value
-----------	------------------	---------------------



JC Virus Detection by In Situ Hybridization

71214	Interpretation	50595-8
71215	Participated in the Interpretation	No LOINC Needed
71216	Report electronically signed by	19139-5
71218	Material Received	81178-6
71596	Disclaimer	62364-5
72115	Case Number	80398-1