

Overview

Method Name  
Enzyme-Linked Immunosorbent Assay (ELISA)

NY State Available  
Yes

Specimen

Specimen Type  
Serum

Specimen Required  
Collection Container/Tube:  
Preferred: Red top  
Acceptable: Serum gel  
Submission Container/Tube: Plastic vial  
Specimen Volume: 5 mL serum  
Collection Instructions:  
1. Within 48 hours of collection, centrifuge and aliquot 2 mL of serum into a plastic vial.  
2. Send refrigerate.

Specimen Minimum Volume  
Serum: 0.5 mL

Reject Due To  
  
All specimens will be evaluated by the processing and performing laboratories for test suitability.

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	21 days	
	Ambient	72 hours	
	Frozen	365 days	

Clinical & Interpretive

Clinical Information

---

Refer to [www.athenadiagnostics.com/view-full-catalog](http://www.athenadiagnostics.com/view-full-catalog)

**Reference Values**

<1:2000

A final report will be attached in MayoAccess.

**Cautions**

Limitations of analysis: Although rare, false positive or false negative results may occur. All results should be interpreted in the context of clinical findings, relevant history, and other laboratory data. Limitations of analysis: Although rare, false-positive or false-negative results may occur. All results should be interpreted in the context of clinical findings, relevant history, and other laboratory data.

**Performance****PDF Report**

Referral

**Day(s) Performed**

Upon receipt

**Report Available**

7 to 14 days

**Specimen Retention Time**

12 months

**Performing Laboratory Location**

Athena Diagnostics

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**Test Classification**

This test was developed and its performance characteristics have been determined by Athena Diagnostics. Performance characteristics refer to the analytical performance of the test.

**CPT Code Information**

83520 x2

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FSUAB	Sulfatide Autoantibody Test	Not Provided

Result ID	Test Result Name	Result LOINC® Value
FSUAB	Sulfatide Autoantibody Test	Not Provided