

# **Test Definition: ZW300**

Miscellaneous Karius Laboratory

		_	
◠.		i	ew
w	vei	VI	ew

#### **NY State Available**

No

## **Specimen**

## **Specimen Type**

Varies

## **Specimen Required**

<u>This is a Miscellaneous Referral Test. For specific requirements, refer to the Referred Tests List under the Test Catalog tab on www.MayoClinicLabs.com</u>. Internal Mayo Clinic providers: refer to the Referral Catalog in CRM. If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 800-533-1710 or 507-266-5700.

#### The following must be provided when ordering:

- 1. Test name
- 2. Performing lab code
- 3. Specimen Type
- 4. For required forms including requisitions and patient specific information forms, ie, consent forms, clinical information, family history, contact Customer Service at 800-533-1710 or 507-266-5700.

## **Specimen Minimum Volume**

See Individual Test ID on the Referred Tests List

### Reject Due To

All specimens will be evaluated by the processing and performing laboratories for test suitability.

#### **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Varies	Varies		

## **Clinical & Interpretive**

#### **Performance**

## **PDF Report**



# **Test Definition: ZW300**

Miscellaneous Karius Laboratory

Referral

## Day(s) Performed

Varies

### **Report Available**

Varies

# **Performing Laboratory Location**

**Karius Laboratory** 

## **Fees & Codes**

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **CPT Code Information**

See Individual Test ID on the Referred Tests List

## **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
ZW300	Misc. Karius Laboratory	51991-8

Result ID	Test Result Name	Result LOINC® Value
ZT300	Test Name	19145-2
ZR300	Result	19146-0