MAYO CLINIC LABORATORIES

Test Definition: FRIFA

Rifampin Level

Overview

Method Name
HPLC-UV

NY State Available
No

Specimen

Specimen Type
Serum

Necessary Information
The following information is required:
-Specimen Type (source)
-Dose (specify PO, IV, IM)
-Date and time of last dose (for IV start/end time)
Note: If the time of last dose and the blood draw are not accurately recorded, accurate interpretation of the concentration is not possible.

Specimen Required
Collection Container/Tube: Red top
Submission Container/Tube: Plastic vial
Specimen Volume: 2 mL Serum
Collection Instructions:
1. Allow serum to clot for 30 minutes.
2. Immediately centrifuge and aliquot 2 mL of serum into a plastic vial.
3. Send frozen.

Specimen Minimum Volume
Serum: 0.5 mL

Reject Due To

Gross hemolysis	Reject
Specimens thawed >6 hours	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen	365 days	

Clinical & Interpretive

Clinical Information
Refer to www.nationaljewish.org/for-professionals/diagnostic-testing/advanced-diagnostic-laboratories/search-for-tests

Reference Values
An interpretive report will be provided.

Performance

PDF Report
No

Day(s) Performed
Monday through Friday

Report Available
10 to 14 days

Performing Laboratory Location
National Jewish Health

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

Test Classification
The performance characteristics for this test have been validated by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA 88) as qualified to perform high complexity clinical laboratory testing.

Test Definition: FRIFA

Rifampin Level

CPT Code Information

80299

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FRIFA	Rifampin Level	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z5803	Dose	Not Provided
Z5804	Date and Time of Last Dose	Not Provided
Z5778	Rifampin Level	4021-2
Z5840	Comment:	Not Provided
Z5865	Specimen Type:	Not Provided