

Test Definition: FABAA

Anti-bestrophin Autoantibodies

Overview	
	١

Special Instructions

• OHSU Requisition Form

Method Name

Immunoblot

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Submit only one of the following specimens:

Serum:

Draw blood in a plain, red-top tube(s), serum gel tube(s) is acceptable. Spin down and send 5 mL serum refrigerated in a plastic vial.

Plasma:

Draw blood in a lavender-top (EDTA) tube(s). Spin down and send 5 mL EDTA plasma refrigerated in a plastic vial.

Complete and submit with specimen:

- 1. Completed OHSU Ocular request form
- 2. Clinical history
- 3. Referring physician information (name & phone number)

NOTE: Without this information, testing cannot be completed.

Specimen Minimum Volume

3 mL

Reject Due To

Hemolysis:	Mild reject; Gross reject
------------	---------------------------



Test Definition: FABAA

Anti-bestrophin Autoantibodies

Thawing:	Warm reject; Cold OK
----------	----------------------

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated	7 days	

Clinical & Interpretive

Reference Values

A final report will be provided.

Performance

PDF Report

Referral

Day(s) Performed

Wednesday

Report Available

16 to 35 days

Performing Laboratory Location

Ocular Immunology Laboratory OHSU

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

84182

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FABAA	Anti-bestrophin Autoantibodies	Not Provided



Test Definition: FABAA

Anti-bestrophin Autoantibodies

Result ID	Test Result Name	Result LOINC® Value
FABAA	Anti-bestrophin Autoantibodies	Not Provided