MAYO CLINIC LABORATORIES

Test Definition: FHC18
18-Hydroxycorticosterone, Serum

_____

Overview

Method Name
Mass Spectrometry

NY State Available
Yes

Specimen

Specimen Type
Serum

Specimen Required
Preferred: Red top
Acceptable: SST
Submission Container/Tube: Plastic vial
Specimen Volume: 3 mL
Collection Instructions:
1. Draw blood in a plain red-top tube(s), serum gel tube(s) is acceptable.
2. Serum must be separated from cells within 45 minutes of venipuncture. Centrifuge and send 3 mL of serum frozen in a plastic vial.

Specimen Minimum Volume
1 mL (NOTE: Minimum volume does not allow for repeat analysis.)

Reject Due To

Specimens other than serum or plasma EDTA or green-top heparin	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	90 days	

_____

_____

	Ambient	24 hours	
	Refrigerated	24 hours	

Clinical & Interpretive

Reference Values

Age	Range (ng/dL)
Premature (26-28 weeks) Day 4	10-670
Premature (31-35 weeks) Day 4	57-410
Full-term Day 3	31-546
31 days to 11 months	5-220
12-23 months	18-155
24 months to 9 years	6-85
10-14 years	10-72
Adults	9-58
Adults 8:00 AM Supine	4-21
Adults 8:00 AM Upright	5-46

Performance

PDF Report
No

Day(s) Performed
Monday

Report Available
7 to 16 days

Performing Laboratory Location
Esoterix Endocrinology

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

_____

MAYO CLINIC LABORATORIES

_____

Test Classification

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

CPT Code Information

82542

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FHC18	18-Hydroxycorticosterone, S	1674-1

Result ID	Test Result Name	Result LOINC® Value
FHC18	18-Hydroxycorticosterone, S	1674-1

_____