

# **Test Definition: FIFLC**

Immunofixation with Free Light Chains,
Quantitative, Urine

#### Overview

#### **Method Name**

Qualitative Immunofixation Electrophoresis/Quantitative Immunoturbidimetry

#### **NY State Available**

Yes

## Specimen

# **Specimen Type**

Urine

# **Specimen Required**

Specimen Type: Urine

**Submission Container/Tube:** Two 4-mL plastic aliquot tube(s) **Specimen Volume:** 8 mL (Two 4-mL plastic aliquot tube(s))

**Collection Instructions:** 

- 1. Collect urine for 24 hours (NO preservative).
- 2. Refrigerate specimen during the 24-hour collection.
- 3. Send specimen refrigerate in Two 4-mL plastic aliquot tube(s)
- 4. Collection volume and duration are required

### **Specimen Minimum Volume**

4 mL (2 vials 2 mL each)

## **Reject Due To**

Thawing**	Cold OK; Warm reject
~	

## **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Urine	Refrigerated (preferred)	21 days	
	Frozen	180 days	

# **Clinical & Interpretive**



# **Test Definition: FIFLC**

Immunofixation with Free Light Chains,
Quantitative, Urine

#### **Reference Values**

Total Protein Less than 150 mg/d Free Urinary Kappa Light Chains 0.00-32.90 mg/L

Free Urinary Kappa Excretion/Day By report

Free Urinary Lambda Light Chain 0.00-3.79 mg/L
Free Urinary Lambda Excretion/Day By report

Free Urinary Lambda Excretion/Day By report IFE Interpretation By report

## Interpretation

Results of urine free light chain testing can be used to monitor disease progression or response to therapy in patients for whom urine electrophoresis is unable to provide reliable Bence Jones Protein quantification. The results of urine kappa and lambda free light chain quantitative values may be misleading in specimens with high levels of urinary polyclonal free light chains, and absent Bence Jones protein by immunofixation; therefore correlation with urine immunofixation is required to identify inconsistent results. Total urinary protein is determined turbidmetrically by adding the albumin and kappa and/or lambda light chains. This value may not agree with the total protein as determined by chemical methods, which characteristically underestimates urinary light chains.

#### **Performance**

# **PDF Report**

No

#### Day(s) Performed

Monday through Sunday

### Report Available

1 to 9 days

#### Performing Laboratory Location

**ARUP Laboratories** 

#### Fees & Codes

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **CPT Code Information**



# **Test Definition: FIFLC**

Immunofixation with Free Light Chains, Quantitative, Urine

84156 86335

83521 x 2

# **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FIFLC	Immunofix Free Light Chains, U	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z5897	Hours Collected	30211-7
Z5898	Total Volume	19153-6
Z5899	Total Protein	2889-4
Z5901	Free Urinary Kappa Light Chains	38176-4
Z5912	Free Urinary Kappa Excretion/Day	38177-2
Z5913	Free Urinary Lambda Light Chain	38178-0
Z5914	Free Urinary Lambda Excretion/Day	38169-9
Z5900	IFE Interpretation	49277-7