



# Test Definition: FIERA

IgE Receptor Antibody

## Overview

### Method Name

Flow Cytometry

### NY State Available

Yes

## Specimen

### Specimen Type

Serum

### Specimen Required

**Collection Container/Tube:** Red top or serum gel

**Submission Container/Tube:** Plastic vial

**Specimen Volume:** 1.5 mL Serum

#### Collection Instructions:

1. Immediately centrifuge and aliquot 1.5 mL serum into a plastic vial.
2. Send frozen

### Specimen Minimum Volume

Serum: 0.5 mL

### Reject Due To

Gross hemolysis	Reject
-----------------	--------

### Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Frozen (preferred)	365 days	
	Ambient	48 hours	
	Refrigerated	7 days	

## Clinical & Interpretive

### Clinical Information

Refer to

---

[www.nationaljewish.org/for-professionals/diagnostic-testing/advanced-diagnostic-laboratories/diagnostic-testing](http://www.nationaljewish.org/for-professionals/diagnostic-testing/advanced-diagnostic-laboratories/diagnostic-testing)

**Reference Values**

0-12%

**Interpretation**

Chronic autoimmune urticaria (CIU) may be associated with autoantibodies to the high affinity IgE receptor (Fc-epsilon R1) or to IgE. In the presence of the autoantibodies, cross-linking of the Fc-epsilon-R1 receptor occurs, leading to basophil activation. The laboratory tests for the activation of donor basophils by CIU serum by analyzing the expression of the basophil specific ectoenzyme, CD203c. CD203c is upregulated on the surface of basophils following activation. A positive result is indicative of the presence of autoantibodies associated with CUI, but may also be due to other basophil-activating serum factors. Results must be correlated with clinical findings. The reference range was developed by the National Jewish Health Advanced Diagnostic Laboratories by analyzing 80 healthy control serum samples.

**Performance****PDF Report**

No

**Day(s) Performed**

Monday, Thursday

**Report Available**

11 to 14 days

**Performing Laboratory Location**

National Jewish Health

**Fees & Codes****Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

**Test Classification**

This test uses a kit/reagent designated by the manufacturer as "for research use, not for clinical use" as well as one or more reagents classified as an analyte specific reagent (ASR). The performance characteristics of this test have been validated by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration. The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA-88) as qualified to perform high complexity clinical laboratory testing.

**CPT Code Information**

88184

88185 x 2

**LOINC® Information**

Test ID	Test Order Name	Order LOINC® Value
FIERA	IgE Receptor Antibody	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z5810	CD203c (Percent of Basophils)	Not Provided
Z5811	Interpretation:	Not Provided