MAYO CLINIC LABORATORIES

Test Definition: FAPCA

Antiparietal Cell Antibody (APCA)

Overview

Method Name
Enzyme-Linked Immunosorbent Assay (ELISA)

NY State Available
Yes

Specimen

Specimen Type
Serum

Specimen Required
Collection Container/Tube: Red top or serum gel
Submission Container/Tube: Plastic vial
Specimen Volume: 1 mL Serum
Collection Instructions:
1. Centrifuge and aliquot serum into a plastic vial.
2. Send refrigerated.

Specimen Minimum Volume
Serum: 0.3 mL
Note: This volume does not allow for repeat testing.

Reject Due To

Hemolysis	Reject
Lipemia	Reject
Gross bacterial contamination	Reject
Heat-treated specimen	Reject
Specimen with preservative	Reject

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Ambient	14 days	

	Frozen	14 days	

Clinical & Interpretive

Clinical Information

Refer to www.labcorp.com/test-menu/

Reference Values

Negative: 0.0-20.0
Equivocal: 20.1-24.9
Positive: >24.9

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

4 to 8 days

Performing Laboratory Location

LabCorp Burlington

Fees & Codes

Fees

- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information

83516

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FAPCA	Antiparietal Cell Antibody	Not Provided

MAYO CLINIC LABORATORIES

Test Definition: FAPCA

Antiparietal Cell Antibody (APCA)

Result ID	Test Result Name	Result LOINC® Value
FAPCA	Antiparietal Cell Antibody	8087-9