MAYO CLINIC LABORATORIES

Test Definition: FFLEX

Cyclobenzaprine (Flexeril)

Overview

Method Name
Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)

NY State Available
Yes

Specimen

Specimen Type
Varies

Specimen Required
Submit only 1 of the following specimens:

Plasma
Specimen Type: Plasma
Container/Tube: Green Top
Specimen Volume: 2 mL
Collection Instructions: Draw blood in a green-top (sodium heparin) tube, **plasma gel tube is not acceptable.** Spin down and send 2 mL of sodium heparin plasma refrigerated in a plastic vial.

Serum
Specimen Type: Serum
Container/Tube: Red
Specimen Volume: 2 mL
Collection Instructions: Draw blood in a plain, red-top tube, **serum gel tube is not acceptable.** Spin down and send 2 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume
0.4 mL

Reject Due To

Hemolysis	NA
Lipemia	NA
Icteric	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	7 days	
	Ambient	72 hours	
	Frozen	30 days	

Clinical & Interpretive

Reference Values
Reference Range: 10 - 30 ng/mL

Performance

PDF Report
No

Day(s) Performed
Monday through Sunday

Report Available
3 to 7 days

Specimen Retention Time
2 weeks

Performing Laboratory Location
Medtox Laboratories, Inc.

Fees & Codes

Fees
- Authorized users can sign in to Test Prices for detailed fee information.
- Clients without access to Test Prices can contact Customer Service 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact Customer Service.

CPT Code Information
80369

Test Definition: FFLEX

Cyclobenzaprine (Flexeril)

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FFLEX	Cyclobenzaprine (Flexeril)	6797-5

Result ID	Test Result Name	Result LOINC® Value
Z1130	Cyclobenzaprine (Flexeril)	6797-5