

Test Definition: FFLEX

Cyclobenzaprine (Flexeril)

Overview

Method Name

Liquid Chromatography/Tandem Mass Spectrometry (LC/MS/MS)

NY State Available

Yes

Specimen

Specimen Type

Varies

Specimen Required

Submit only 1 of the following specimens:

Plasma

Specimen Type: Plasma Container/Tube: Green Top Specimen Volume: 2 mL

Collection Instructions: Draw blood in a green-top (sodium heparin) tube, plasma gel tube is not acceptable. Spin down

and send 2 mL of sodium heparin plasma refrigerated in a plastic vial.

Serum

Specimen Type: Serum Container/Tube: Red Specimen Volume: 2 mL

Collection Instructions: Draw blood in a plain, red-top tube, serum gel tube is not acceptable. Spin down and send 2 mL

of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.4 mL

Reject Due To

Hemolysis	NA NA
Lipemia	NA NA
Icteric	NA
Other	NA



Test Definition: FFLEX

Cyclobenzaprine (Flexeril)

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Refrigerated (preferred)	7 days	
	Ambient	72 hours	
	Frozen	30 days	

Clinical & Interpretive

Reference Values

Reference Range: 10 - 30 ng/mL

Performance

PDF Report

No

Day(s) Performed

Monday through Sunday

Report Available

3 to 7 days

Specimen Retention Time

2 weeks

Performing Laboratory Location

Medtox Laboratories, Inc.

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

80369



Test Definition: FFLEX

Cyclobenzaprine (Flexeril)

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value	
FFLEX	Cyclobenzaprine (Flexeril)	6797-5	

Result ID	Test Result Name	Result LOINC® Value
Z1130	Cyclobenzaprine (Flexeril)	6797-5