

Complete Blood Cell Count (CBC) with Differential, Blood

## Overview

#### **Useful For**

Screening tool to confirm a hematologic disorder, to establish or rule out a diagnosis, to detect an unsuspected hematologic disorder, or to monitor effects of radiation or chemotherapy

### **Reflex Tests**

Test Id	Reporting Name	Available Separately	Always Performed
DIFFR	Morphology Eval (special Smear)	No	No
PINTP	Peripheral Smear Interpretation	No	No

## **Testing Algorithm**

A morphology evaluation is performed at an additional charge when the automated 5-part differential is invalid or when abnormal results are identified upon microscopic examination.

A peripheral blood smear review is performed at an additional charge when pathologist expertise is needed for clinically significant diagnosis.

## **Method Name**

RF/DC (Radio Frequency/Direct Current) Detection/Hydrodynamic Focusing (DC Detection), Flow Cytometry (Using a Semiconductor Laser)/Sodium Lauryl Sulfate (SLS) Hemoglobin

### **NY State Available**

Yes

## **Specimen**

## Specimen Type

Whole Blood EDTA

## **Specimen Required**

Container/Tube: Lavender top (EDTA)

Specimen Volume: 3 mL

### **Forms**

If not ordering electronically, complete, print, and send a <u>Kidney Transplant Test Request</u> with the specimen.



Complete Blood Cell Count (CBC) with Differential, Blood

## Specimen Minimum Volume

1.5 mL

## **Reject Due To**

Gross	Reject
hemolysis	
Other	Clotted

## **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Whole Blood EDTA	Refrigerated (preferred)	48 hours	
	Ambient	24 hours	

## **Clinical & Interpretive**

## **Clinical Information**

RBCs, WBCs, and platelets are produced in the bone marrow and released into the peripheral blood. The primary function of the RBC is to deliver oxygen to tissues. WBCs are key components of the immune system. Platelets play a vital role in blood clotting.

Mean corpuscular volume (MCV) is a measure of the size of the average RBC. Anemias are characterized as microcytic (MCV <80), macrocytic (MCV >100), or normocytic. The red cell distribution width (RDW) is a measure of the degree of variation in RBC size (anisocytosis). RDW may be helpful in distinguishing between some anemias. For example, iron deficiency anemia is characterized by a high RDW, while thalassemia is characterized by a low RDW.

These counts are used as clinical guides in the diagnosis or monitoring of many diseases.

## **Reference Values**

RED BLOOD CELL COUNT (RBC)

Males:

0-14 days: 4.10-5.55 x 10(12)/L

15 days-4 weeks: 3.16-4.63 x 10(12)/L 5 weeks-7 weeks: 3.02-4.22 x 10(12)/L 8 weeks-5 months: 3.43-4.80 x 10(12)/L 6 months-23 months: 4.03-5.07 x 10(12)/L 24 months-35 months: 3.89-4.97 x 10(12)/L

3-5 years: 4.00-5.10 x 10(12)/L 6-10 years: 4.10-5.20 x 10(12)/L 11-14 years: 4.20-5.30 x 10(12)/L 15-17 years: 4.30-5.70 x 10(12)/L



Complete Blood Cell Count (CBC) with Differential, Blood

Adults: 4.35-5.65 x 10(12)/L

Females:

0-14 days: 4.12-5.74 x 10(12)/L

15 days-4 weeks: 3.32-4.80 x 10(12)/L 5 weeks-7 weeks: 2.93-3.87 x 10(12)/L 8 weeks-5 months: 3.45-4.75 x 10(12)/L 6 months-23 months: 3.97-5.01 x 10(12)/L 24 months-35 months: 3.84-4.92 x 10(12)/L

3-5 years: 4.00-5.10 x 10(12)/L 6-10 years: 4.10-5.20 x 10(12)/L 11-14 years: 4.10-5.10 x 10(12)/L 15-17 years: 3.80-5.00 x 10(12)/L Adults: 3.92-5.13 x 10(12)/L

#### **HEMOGLOBIN**

Males:

0-14 days: 13.9-19.1 g/dL

15 days-4 weeks: 10.0-15.3 g/dL 5 weeks-7 weeks: 8.9-12.7 g/dL 8 weeks-5 months: 9.6-12.4 g/dL 6 months-23 months: 10.1-12.5 g/dL 24 months-35 months: 10.2-12.7 g/dL

3-5 years: 11.4-14.3 g/dL 6-8 years: 11.5-14.3 g/dL 9-10 years: 11.8-14.7 g/dL 11-14 years: 12.4-15.7 g/dL 15-17 years: 13.3-16.9 g/dL Adults: 13.2-16.6 g/dL

### Females:

0-14 days: 13.4-20.0 g/dL

15 days-4 weeks: 10.8-14.6 g/dL 5 weeks-7 weeks: 9.2-11.4 g/dL 8 weeks-5 months: 9.9-12.4 g/dL 6 months-35 months: 10.2-12.7 g/dL

3-5 years: 11.4-14.3 g/dL 6-8 years: 11.5-14.3 g/dL 9-10 years: 11.8-14.7 g/dL 11-17 years: 11.9-14.8 g/dL Adults: 11.6-15.0 g/dL

### **HEMATOCRIT**

Males:



Complete Blood Cell Count (CBC) with Differential, Blood

0-14 days: 39.8-53.6%

15 days-4 weeks: 30.5-45.0% 5 weeks-7 weeks: 26.8-37.5% 8 weeks-5 months: 28.6-37.2% 6 months-23 months: 30.8-37.8% 24 months-35 months: 31.0-37.7%

3-7 years: 34-42% 8-11 years: 35-43% 12-15 years: 38-47% 16-17 years: 40-50% Adults: 38.3-48.6%

### Females:

0-14 days: 39.6-57.2%

15 days-4 weeks: 32.0-44.5% 5 weeks-7 weeks: 27.7-35.1% 8 weeks-5 months: 29.5-37.1% 6 months-23 months: 30.9-37.9% 24 months-35 months: 31.2-37.8%

3-7 years: 34-42% 8-17 years: 35-43% Adults: 35.5-44.9%

## MEAN CORPUSCULAR VOLUME (MCV)

### Males:

0-14 days: 91.3-103.1 fL 15 days-4 weeks: 89.4-99.7 fL 5 weeks-7 weeks: 84.3-94.2 fL 8 weeks-5 months: 74.1-87.5 fL 6 months-23 months: 69.5-81.7 fL 24 months-35 months: 71.3-84.0 fL

3-5 years: 77.2-89.5 fL 6-11 years: 77.8-91.1 fL 12-14 years: 79.9-93.0 fL 15-17 years: 82.5-98.0 fL Adults: 78.2-97.9 fL

### Females:

0-14 days: 92.7-106.4 fL

15 days-4 weeks: 90.1-103.0 fL 5 weeks-7 weeks: 83.4-96.4 fL 8 weeks-5 months: 74.8-88.3 fL 6 months-23 months: 71.3-82.6 fL 24 months-35 months: 72.3-85.0 fL



Complete Blood Cell Count (CBC) with Differential, Blood

3-5 years: 77.2-89.5 fL 6-11 years: 77.8-91.1 fL 12-14 years: 79.9-93.0 fL 15-17 years: 82.5-98.0 fL Adults: 78.2-97.93 fL

### RED CELL DISTRIBUTION WIDTH (RDW)

Males:

0-14 days: 14.8-17.0%

15 days-4 weeks: 14.3-16.8% 5 weeks-7 weeks: 13.8-16.1% 8 weeks-5 months: 12.4-15.3% 6 months-23 months: 12.9-15.6% 24 months-35 months: 12.5-14.9%

3-5 years: 11.3-13.4% 6-17 years: 11.4-13.5% Adults: 11.8-14.5%

#### Females:

0-14 days: 14.6-17.3%

15 days-4 weeks: 14.4-16.2% 5 weeks-7 weeks: 13.6-15.8% 8 weeks-5 months: 12.2-14.3% 6 months-23 months: 12.7-15.1% 24 months-35 months: 12.4-14.9%

3-5 years: 11.3-13.4% 6-17 years: 11.4-13.5% Adults: 12.2-16.1%

## WHITE BLOOD CELL COUNT (WBC)

Males:

0-14 days: 8.0-15.4 x 10(9)/L

15 days-4 weeks: 7.8-15.9 x 10(9)/L 5 weeks-7 weeks: 8.1-15.0 x 10(9)/L 8 weeks-5 months: 6.5-13.3 x 10(9)/L 6 months-23 months: 6.0-13.5 x 10(9)/L 24 months-35 months: 5.1-13.4 x 10(9)/L

3-5 years: 4.4-12.9 x 10(9)/L 6-17 years: 3.8-10.4 x 10(9)/L Adults: 3.4-9.6 x 10(9)/L

## Females:

0-14 days: 8.2-14.6 x 10(9)/L 15 days-4 weeks: 8.4-14.4 x 10(9)/L



Complete Blood Cell Count (CBC) with Differential, Blood

5 weeks-7 weeks: 7.1-14.7 x 10(9)/L 8 weeks-5 months: 6.0-13.3 x 10(9)/L 6 months-23 months: 6.5-13.0 x 10(9)/L 24 months-35 months: 4.9-13.2 x 10(9)/L

3-5 years: 4.4-12.9 x 10(9)/L 6-17 years: 3.8-10.4 x 10(9)/L Adults: 3.4-9.6 x 10(9)/L

#### **PLATELETS**

Males:

0-14 days: 218-419 x 10(9)/L

15 days-4 weeks: 248-586 x 10(9)/L 5 weeks-7 weeks: 229-562 x 10(9)/L 8 weeks-5 months: 244-529 x 10(9)/L 6 months-23 months: 206-445 x 10(9)/L 24 months-35 months: 202-403 x 10(9)/L

3-5 years: 187-445 x 10(9)/L 6-9 years: 187-400 x 10(9)/L 10-13 years: 177-381 x 10(9)/L 14-17 years: 139-320 x 10(9)/L Adults: 135-317 x 10(9)/L

### Females:

0-14 days: 144-449 x 10(9)/L

15 days-4 weeks: 279-571 x 10(9)/L 5 weeks-7 weeks: 331-597 x 10(9)/L 8 weeks-5 months: 247-580 x 10(9)/L 6 months-23 months: 214-459 x 10(9)/L 24 months-35 months: 189-394 x 10(9)/L

3-5 years: 187-445 x 10(9)/L 6-9 years: 187-400 x 10(9)/L 10-13 years: 177-381 x 10(9)/L 14-17 years: 158-362 x 10(9)/L Adults: 157-371 x 10(9)/L

### **NEUTROPHILS**

Males:

0-14 days: 1.60-6.06 x 10(9)/L

15 days-4 weeks: 1.18-5.45 x 10(9)/L 5 weeks-7 weeks: 0.83-4.23 x 10(9)/L 8 weeks-5 months: 0.97-5.45 x 10(9)/L 6 months-23 months: 1.19-7.21 x 10(9)/L 24 months-35 months: 1.54-7.92 x 10(9)/L

3-5 years: 1.60-7.80 x 10(9)/L



Complete Blood Cell Count (CBC) with Differential, Blood

6-16 years: 1.40-6.10 x 10(9)/L 17 years: 1.80-7.20 x 10(9)/L Adults: 1.56-6.45 x 10(9)/L

#### Females:

0-14 days: 1.73-6.75 x 10(9)/L

15 days-4 weeks: 1.23-4.80 x 10(9)/L 5 weeks-7 weeks: 1.00-4.68 x 10(9)/L 8 weeks-5 months: 1.04-7.20 x 10(9)/L 6 months-23 months: 1.27-7.18 x 10(9)/L 24 months-35 months: 1.60-8.29 x 10(9)/L

3-5 years: 1.60-7.80 x 10(9)/L 6-14 years: 1.50-6.50 x 10(9)/L 15-17 years: 2.00-7.40 x 10(9)/L Adults: 1.56-6.45 x 10(9)/L

### **LYMPHOCYTES**

#### Males:

0-14 days: 2.07-7.53 x 10(9)/L

15 days-4 weeks: 2.11-8.38 x 10(9)/L 5 weeks-7 weeks: 2.47-7.95 x 10(9)/L 8 weeks-5 months: 2.45-8.89 x 10(9)/L 6 months-23 months: 1.56-7.83 x 10(9)/L 24 months-35 months: 1.13-5.52 x 10(9)/L

3-5 years: 1.60-5.30 x 10(9)/L 6-11 years: 1.40-3.90 x 10(9)/L 12-17 years: 1.00-3.20 x 10(9)/L Adults: 0.95-3.07 x 10(9)/L

### Females:

0-14 days: 1.75-8.00 x 10(9)/L

15 days-4 weeks: 2.42-8.20 x 10(9)/L 5 weeks-7 weeks: 2.29-9.14 x 10(9)/L 8 weeks-5 months: 2.14-8.99 x 10(9)/L 6 months-23 months: 1.52-8.09 x 10(9)/L 24 months-35 months: 1.25-5.77 x 10(9)/L

3-5 years: 1.60-5.30 x 10(9)/L 6-11 years: 1.40-3.90 x 10(9)/L 12-17 years: 1.00-3.20 x 10(9)/L Adults: 0.95-3.07 x 10(9)/L

### **MONOCYTES**

Males:

0-14 days: 0.52-1.77 x 10(9)/L



Complete Blood Cell Count (CBC) with Differential, Blood

15 days-4 weeks: 0.28-1.38 x 10(9)/L 5 weeks-7 weeks: 0.28-1.05 x 10(9)/L 8 weeks-5 months: 0.28-1.07 x 10(9)/L 6 months-23 months: 0.25-1.15 x 10(9)/L 24 months-35 months: 0.19-0.94 x 10(9)/L

3-5 years: 0.30-0.90 x 10(9)/L 6-17 years: 0.20-0.80 x 10(9)/L Adults: 0.26-0.81 x 10(9)/L

### Females:

0-14 days: 0.57-1.72 x 10(9)/L

15 days-4 weeks: 0.42-1.21 x 10(9)/L 5 weeks-7 weeks: 0.28-1.21 x 10(9)/L 8 weeks-5 months: 0.24-1.17 x 10(9)/L 6 months-23 months: 0.26-1.08 x 10(9)/L 24 months-35 months: 0.24-0.92 x 10(9)/L

3-5 years: 0.30-0.90 x 10(9)/L 6-17 years: 0.20-0.80 x 10(9)/L Adults: 0.26-0.81 x 10(9)/L

### **EOSINOPHILS**

### Males:

0-14 days: 0.12-0.66 x 10(9)/L

15 days-4 weeks: 0.08-0.80 x 10(9)/L 5 weeks-7 weeks: 0.05-0.57 x 10(9)/L 8 weeks-5 months: 0.03-0.61 x 10(9)/L 6 months-23 months: 0.02-0.82 x 10(9)/L 24 months-35 months: 0.03-0.53 x 10(9)/L

3-11 years: 0.00-0.50 x 10(9)/L 12-17 years: 0.10-0.20 x 10(9)/L Adults: 0.03-0.48 x 10(9)/L

#### Females:

0-14 days: 0.09-0.64 x 10(9)/L

15 days-4 weeks: 0.06-0.75 x 10(9)/L 5 weeks-7 weeks: 0.04-0.63 x 10(9)/L 8 weeks-5 months: 0.02-0.74 x 10(9)/L 6 months-23 months: 0.02-0.58 x 10(9)/L 24 months-35 months: 0.03-0.46 x 10(9)/L

3-11 years: 0.00-0.50 x 10(9)/L 12-17 years: 0.10-0.20 x 10(9)/L Adults: 0.03-0.48 x 10(9)/L

### **BASOPHILS**



Complete Blood Cell Count (CBC) with Differential, Blood

Males:

0-14 days: 0.02-0.11 x 10(9)/L

15 days-7 weeks: 0.01-0.07 x 10(9)/L 8 weeks-35 months: 0.01-0.06 x 10(9)/L

3-17 years: 0.00-0.10 x 10(9)/L Adults: 0.01-0.08 x 10(9)/L

Females:

0-14 days: 0.02-0.07 x 10(9)/L

15 days-4 weeks: 0.01-0.06 x 10(9)/L 5 weeks-7 weeks: 0.01-0.05 x 10(9)/L 8 weeks-5 months: 0.01-0.07 x 10(9)/L 6 months-35 months: 0.01-0.06 x 10(9)/L

3-17 years: 0.00-0.10 x 10(9)/L Adults: 0.01-0.08 x 10(9)/L

### Interpretation

Results outside of normal value ranges may reflect a primary disorder of the cell-producing organs or an underlying disease. Results should be interpreted in conjunction with the patient's clinical picture and appropriate additional testing performed.

### **Cautions**

Questionable results are detected by in-house checking criteria based on quantitative and qualitative parameters.

Defined laboratory instrument or patient flagging criteria may trigger peripheral blood smear review resulting in consultant readout of hematologic abnormalities.

## **Clinical Reference**

- 1. Adel K, Raizman J, Chen Y, et al: Complex biological profile of hematologic markers across pediatric, adult, and geriatric ages: establishment of robust pediatric and adult reference intervals on the basis of the Canadian Health Measures Survey. Clin Chem 2015;61:8
- 2. CLSI. Defining, Establishing, and Verifying Reference Intervals in the Clinical Laboratory; Approved Guideline, Third Edition. CLSI document EP28-A3c. Wayne, PA, Clinical and Laboratory Standards Institute, 2008
- 3. Soldin J, Brugnara C, Wong EC: Pediatric Reference Intervals. Fifth Edition. AACC Press. Washington, DC, 2005. ISBN 1-594250-32-4

## **Performance**

### **Method Description**

The Sysmex XN 9000 performs hematology analysis according to the hydrodynamic focusing (DC detection), flow cytometry method (semiconductor laser), and sodium lauryl sulfate (SLS)-hemoglobin method.(Instruction manual: Automated Hematology Analyzer XN series [XN-9000], Code No. CJ410539. North American Edition. November 2015)



Complete Blood Cell Count (CBC) with Differential, Blood

## **PDF Report**

No

## Day(s) Performed

Monday through Sunday

### **Report Available**

Same day/1 day

## **Specimen Retention Time**

1 day

## **Performing Laboratory Location**

Mayo Clinic Laboratories - Rochester Main Campus

## **Fees & Codes**

### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

## **Test Classification**

This test has been cleared, approved, or is exempt by the US Food and Drug Administration and is used per manufacturer's instructions. Performance characteristics were verified by Mayo Clinic in a manner consistent with CLIA requirements.

### **CPT Code Information**

85025

85007 (if appropriate)

85060 (if appropriate)

## **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
CBC	CBC with Differential, B	57021-8

Result ID	Test Result Name	Result LOINC® Value
HGB	Hemoglobin	718-7
HCT	Hematocrit	4544-3
RBC	Erythrocytes	789-8
MCV	MCV	787-2
RDW	RDW	788-0



Complete Blood Cell Count (CBC) with Differential, Blood

WBC	Leukocytes	6690-2
NEUAA	Neutrophils, Abs	751-8
LYMAA	Lymphocytes, Abs	731-0
MONAA	Monocytes, Abs	742-7
EOSAA	Eosinophils, Abs	711-2
BASAA	Basophils, Abs	704-7
PLTC	Platelet Count	777-3