

# **Test Definition: FCIC**

Circulating Immune Complexes (CIC)

# **Overview**

### **Method Name**

Enzyme Linked Immunosorbent Assay (ELISA)

### **NY State Available**

Yes

# **Specimen**

# **Specimen Type**

Serum

# **Specimen Required**

Draw blood in a plain, red-top tube(s) or a serum gel tube(s). Spin down and send 3 mL of serum refrigerated.

### **Specimen Minimum Volume**

1 mL

# **Reject Due To**

# **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Ambient	14 days	
	Frozen	365 days	

# **Clinical & Interpretive**

### **Reference Values**

Negative <20 EU/mLBorderline/Equivocal 20-25 EU/mLPositive >25 EU/mL

# Interpretation

Circulating immune complexes (CICs) are detectable in a variety of systemic disorders such as rheumatological, autoimmune, allergic diseases; viral, bacterial infections and malignancies. Although detection of CICs is neither



# **Test Definition: FCIC**

Circulating Immune Complexes (CIC)

essential nor specific for any disease, anti-C1q assay is likely to provide information regarding disease activity in lupus nephritis.

### **Performance**

### **PDF Report**

No

### Day(s) Performed

Once weekly

# Report Available

7 to 18 days

### **Performing Laboratory Location**

IMMCO Diagnostics, Inc.

### **Fees & Codes**

### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **Test Classification**

This test has been developed and performance parameters have been validated by IMMCO Diagnostics, Inc. This test has not been approved by the U.S. Food and Drug Administration (FDA); however, US FDA approval is not required for clinical use. It is not intended that clinical diagnosis and patient management decisions be made using these results alone.

This test has been validated using serum samples. The manufacturer has not determined the efficacy of this test when performed on CSF, plasma, joint or pleural fluid specimens. The performance characteristics of this test were determined by IMMCO Diagnostics Inc.

#### **CPT Code Information**

86332

### **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FCIC	Circulating Immune Complexes (CIC)	27831-7



# **Test Definition: FCIC**

Circulating Immune Complexes (CIC)

Result ID	Test Result Name	Result LOINC® Value
Z0912	Immune Complex	27831-7