



Test Definition: FCIC

Circulating Immune Complexes (CIC)

Overview

Method Name

Enzyme Linked Immunosorbent Assay (ELISA)

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Collection Container/Tube:

Preferred: Red top

Acceptable: Serum gel

Submission Container/Tube: Plastic vial

Specimen Volume: 3 mL Serum

Collection Instructions:

1. Centrifuge and aliquot serum into a plastic vial.
2. Send refrigerate.

Specimen Minimum Volume

Serum 1 mL

Reject Due To

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Ambient	14 days	
	Frozen	365 days	

Clinical & Interpretive

Clinical Information

Refer to <https://www.immco.com/>

Reference Values

Negative: <20 EU/mL

Borderline/Equivocal: 20 - 25 EU/mL

Positive : >25 EU/mL

Interpretation

Circulating immune complexes (CICs) are detectable in a variety of systemic disorders such as rheumatological, autoimmune, allergic diseases; viral, bacterial infections and malignancies. Although detection of CICs is neither essential nor specific for any disease, anti-C1q assay is likely to provide information regarding disease activity in lupus nephritis.

Performance**PDF Report**

No

Day(s) Performed

Once weekly

Report Available

7 to 18 days

Performing Laboratory Location

IMMCO Diagnostics, Inc.

Fees & Codes**Fees**

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

Test Classification

This test has been developed and performance parameters have been validated by IMMCO Diagnostics, Inc. This test has not been approved by the U.S. Food and Drug Administration (FDA); however, US FDA approval is not required for clinical use. It is not intended that clinical diagnosis and patient management decisions be made using these results alone.

This test has been validated using serum samples. The manufacturer has not determined the efficacy of this test when performed on CSF, plasma, joint or pleural fluid specimens. The performance characteristics of this test were determined by IMMCO Diagnostics Inc.

CPT Code Information

86332

LOINC® Information

Test ID	Test Order Name	Order LOINC® Value
FCIC	Circulating Immune Complexes (CIC)	27831-7

Result ID	Test Result Name	Result LOINC® Value
Z0912	Immune Complex	27831-7