

# **Test Definition: FLUPV**

Lupus Anticoagulant Evaluation with Reflex

## Overview

#### **Reflex Tests**

Test Id	Reporting Name	Available Separately	Always Performed
FHEXC	Hexagonal Phase Confirm	No	No
FDVTC	DRVVT Confirm	No	No
FDVTX	DRVVT 1:1 Mix	No	No
FCLOT	Thrombin Clotting Time	No	No

### **Testing Algorithm**

If the PTT-LA is prolonged (>40 seconds), then the Hexagonal Phase Confirmation (FHEXC) will be performed at an additional charge.

If the Hexagonal Phase Confirm is positive or weakly positive, a Thrombin Clotting Time (FCLOT) will be performed at an additional charge.

If the DRVVT Screen is prolonged (>45 seconds), then the DRVVT Confirmation (FDVTC) will be performed at an additional charge.

If the DRVVT Confirmation is positive, then the DRVVT 1:1 Mix (FDVTX) will be performed at an additional charge.

#### **Method Name**

Clot Detection

#### **NY State Available**

Yes

## Specimen

# Specimen Type

Plasma Na Cit

#### Specimen Required

**Collection Container/Tube**: Light-blue top (3.2% sodium citrate)

Submission Container/Tube: Plastic vial

Specimen Volume: 3 mL platelet-poor plasma, in plastic vial

**Collection Instructions**: Draw blood into a 3.2% sodium citrate (light blue-top) tube. Centrifuge light blue-top tube 15 minutes at approx. 1500 g within 60 minutes of collection. Using a plastic pipette, remove plasma, taking care to avoid the WBC/platelet buffy layer and place into a plastic vial. Centrifuge a second time and transfer platelet-poor plasma into a new plastic vial. Plasma must be free of platelets (<10,000/mcl).

Freeze immediately and ship on dry ice.

## Specimen Minimum Volume



# **Test Definition: FLUPV**

Lupus Anticoagulant Evaluation with Reflex

2 mL

# **Reject Due To**

Hemolysis	Mild reject; Gross reject
Lipemia	NA
Icterus	NA
Other	NA NA

# **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Plasma Na Cit	Frozen	30 days	

# **Clinical & Interpretive**

## **Reference Values**

Lupus Anticoagulant Not Detected

This interpretation is based on the following test results:

PTT-LA Screen < or = 40 seconds DRVVT Screen < or = 45 seconds

## **Performance**

# **PDF Report**

No

# Day(s) Performed

Monday through Saturday

# Report Available

2 to 8 days

# **Performing Laboratory Location**

Quest Diagnostics Nichols Institute

## **Fees & Codes**



# **Test Definition: FLUPV**

Lupus Anticoagulant Evaluation with Reflex

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **CPT Code Information**

85613/ Russell viper venom time (includes venom); diluted

85730/ Thromboplastin time, partial (PTT); plasma

85598/ Platelet neutralization (Hexagonal Phase Confirm)-(if appropriate)

85597/ Platelet neutralization (dRVVT Confirm)-(if appropriate)

85613/dRVVT 1:1 Dilution (if appropriate)

85670/Thrombin Clotting Time (if appropriate)

## **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FLUPV	Lupus Anticoagulant Eval w/Reflexes	75515-7

Result ID	Test Result Name	Result LOINC® Value
Z0734	Lupus Anticoagulant	75514-0
Z0544	PTT-LA Screen	34571-0
Z0735	DRVVT Screen	6303-2