Thank you for using version 2025.4.1104.462 of Telerik Document Processing Libraries. Access to the latest updates and support requires a license. Learn more in the documentation below. Learn more about Telerik Document Processing Libraries licensing https://docs.telerik.com/devtools/document-processing/distribution-and-licensing/license-key

MAYO CLINIC LABORATORIES

Test Definition: NAS

Sodium, Serum

Reporting Title: Sodium, S
Performing Location: Mayo Clinic Laboratories - Rochester Main Campus

Necessary Information:

Patient's age and sex are required.

Specimen Requirements:

Collection Container/Tube:
Preferred: Serum gel
Acceptable: Red top
Submission Container/Tube: Plastic vial
Specimen Volume: 0.5 mL
Collection Instructions:
1. Serum gel tubes should be centrifuged within 2 hours of collection.
2. Red-top tubes should be centrifuged, and the serum aliquoted into a plastic vial within 2 hours of collection.

Forms:

If not ordering electronically, complete, print, and send 1 of the following forms with the specimen:
-Kidney Transplant Test Request
-Cardiovascular Test Request Form (T724)

Specimen Type	Temperature	Time	Special Container
Serum	Refrigerated (preferred)	14 days	
	Ambient	14 days	

Result Codes:

Result ID	Reporting Name	Type	Unit	LOINC®
NAS	Sodium, S	Numeric	mmol/L	2951-2

LOINC® and CPT codes are provided by the performing laboratory.

Supplemental Report:

No

CPT Code Information:

84295

Reference Values:

<1 year: not established
> or =1 year: 135-145 mmol/L