

# **Test Definition: TRAM**

Tramadol and Metabolite, Random, Urine

Reporting Title: Tramadol and Metabolite, U

Performing Location: Rochester

**Ordering Guidance:** 

## **Additional Testing Requirements:**

If urine creatinine is required or adulteration of the sample is suspected, the following test should also be ordered ADULT / Adulterants Survey, Random, Urine.

# Specimen Requirements:

**Supplies:** Sarstedt Aliquot Tube, 5 mL (T914) **Collection Container/Tube:** Plastic urine container

Submission Container/Tube: Plastic vial

**Specimen Volume:** 1 mL **Collection Instructions:** 

- 1. Collect a random urine specimen.
- 2. No preservative.

## **Additional Information:**

- 1. No specimen substitutions.
- 2. STAT requests are **not accepted** for this test.
- 3. Submitting less than 1 mL will compromise our ability to perform all necessary testing.

#### Forms:

If not ordering electronically, complete, print, and send a Therapeutics Test Request (T831) with the specimen.

Specimen Type	Temperature	Time	Special Container
Urine	Ambient	14 days	
	Refrigerated (preferred)	14 days	
	Frozen	14 days	

#### **Result Codes:**

Result ID	Reporting Name	Туре	Unit	LOINC®
35914	Tramadol	Alphanumeric	ng/mL	20561-7
35915	O-desmethyltramadol	Alphanumeric	ng/mL	92639-4

LOINC® and CPT codes are provided by the performing laboratory.

## **Supplemental Report:**

No

## **CPT Code Information:**

G0480



# **Test Definition: TRAM**

Tramadol and Metabolite, Random, Urine

80373 (if appropriate for select payers)

## **Reference Values:**

Negative (Positive results are reported with a quantitative result.)

Cutoff concentrations by liquid chromatography tandem mass spectrometry:

Tramadol: 25 ng/mL

O-desmethyltramadol: 25 ng/mL