

TEST OBSOLETE**REFERRAL****NOTIFICATION DATE:** March 7, 2012**EFFECTIVE DATE:** Immediately**PLASMINOGEN ACTIVATOR INHIBITOR-1 (PAI-1) ACTIVITY**

Test ID: FPAI

Secondary ID: 91199

EXPLANATION OF CHANGE: Effective Immediately, Test ID - FPAI, referred to Esoterix Coagulation, will become obsolete.

ALTERNATIVE TEST: FPAI – Plasminogen Activator Inhibitor 1 (PAI-1), referred to LabCorp Burlington.

LABCORP BURLINGTON TEST CODE: 146787

METHODOLOGY: Enzyme-linked immunosorbent assay (ELISA)

REFERENCE VALUES:

0 - 27 IU/mL

SPECIMEN REQUIREMENTS:

Draw blood in a light-blue top (sodium citrate) tube(s). Spin down and send 0.5 mL citrated plasma frozen in a plastic vial.

SPECIMEN TRANSPORT TEMPERATURE:

LIST FEE: \$200.00

CPT CODE: 85415

DAY(S) SET UP: Tuesday, Friday

ANALYTIC TIME: 7 - 14 days

QUESTIONS: Contact Mary Erath, MML Laboratory Technologist Resource Coordinator
Telephone: 800-533-1710