

---

## **Congenital Dyserythropoietic Anemia Panel, Next-Generation Sequencing, Varies**

**Test ID:** NGCDA

### **Explanation:**

Due to reagent supply issue, NGCDA / Congenital Dyserythropoietic Anemia Panel, Next-Generation Sequencing, Varies will become nonorderable immediately. A notification will be sent once testing resumes.

### **Recommended Alternative Test:**

#### **Congenital Dyserythropoietic Anemia Gene Sequencing Panel**

**Test ID:** ZW204

**Referral Lab Code:** 7450876

### **Methodology:**

NextGen Sequencing

### **Specimen Requirements:**

**Specimen Type:** Whole blood

**Container/Tube:** Lavender top (EDTA)

**Specimen Volume:** 3 mL

**Note:** Complete and submit with specimen:

Lab requisitions must be completed (Cincinnati Children's Hematology Test Requisition).

### **Specimen Stability Information:**

<b>Specimen Type</b>	<b>Temperature</b>	<b>Time</b>
Blood	Ambient	7 days

### **CPT Code:**

Call for CPT Code(s)

### **Miscellaneous Referral Test Fee:**

Call for pricing

**Day(s) Performed:** Upon receipt **Report Available:** 42-46 days

**NYS Approved:** No

### **Questions:**

Contact Connie Penz, Laboratory Resource Coordinator at 800-533-1710.