

Neurofascin-155 IgG4, Flow Cytometry, Serum

Test ID: NF4FS

Useful for:

Evaluating patients with an underlying demyelinating neuropathy

Diagnosis of a neurofascin-155 IgG4 mediated neuropathy

Methods:

Flow Cytometry

Reference Values:

Negative

Specimen Requirements:

Collection Container/Tube:

Preferred: Red top

Acceptable: Serum gel

Specimen Volume: 2 mL

Minimum Volume: 1 mL

Specimen Stability Information:

Specimen Type	Temperature	Time
Serum	Refrigerated (preferred)	28 days
	Ambient	72 hours
	Frozen	28 days

Cautions:

A negative result does not exclude the presence of disease. The use of immunotherapy prior to sample collection may negatively impact the sensitivity of this assay.

CPT Code:

86255

Day(s) Performed: Monday, Friday

Report Available: 5 to 8 days

Note:

The following referral test code(s) will become obsolete.

Test Name	Test ID	Referral Lab Code	Referral Lab
Neurofascins 155 (IgG IgM) 140 (IgG) WB (Individual Antibody)	ZW305	MML1228	Washington University Neuromuscular Clinical Lab in St. Louis

Questions

Contact Amy Ennis or Steven Monson, Laboratory Technologist Resource Coordinator at 800-533-1710.