

TEST STATUS -DOWN

Notification Date: September 28, 2022 Effective Date: Immediately

West Nile Virus, RNA, PCR, Molecular Detection, Random, Urine

Test ID: WNVUR

Explanation:

This test will become non-orderable, effective immediately due to reagent backorder. An update will be provided when testing resumes.

Note: There is no referral alternative available for urine. Please consider serum alternative test below. Urine specimens received at MCL will be canceled during this test down.

Recommended Alternative Test:

West Nile Virus by PCR

Test ID: ZW83

Referral lab Code: 45315

Methods: Real-Time Polymerase Chain Reaction

Reference Values: Negative

Specimen Requirements:

Specimen Type: CSF

Collection Container Sterile leak-proof container

Specimen Volume: 0.7 mL

Minimum volume: 0.3 mL

Specimen Type: Serum

Collection Container Red-top / Serum Separator

Specimen Volume: 0.7 mL

Minimum volume: 0.3 mL

Specimen Stability Information:

Specimen Type	Temperature	Time
Varies	Refrigerated (preferred)	14 days
	Frozen	30 days

CPT Code: 87798

Day(s) Performed: Mon-Sat **Analytic Time:** 1-2 days

NYS Approved: No Price: \$185.00

Questions:

Contact Dunisha Messmer, Laboratory Technologist Resource Coordinator at 800-533-1710.